MLW-D24M-A20PW-R1

Coolermaster Masterliquid Lite 240 Pre-filled Liquid Based CPU Cooler

Product Overview

Coolermaster Masterliquid Lite 240 Pre-filled Liquid Based CPU Cooler, 240mm Radiator, 2x 120mm Masterfan Pro Air Balance Fan, Compatible with --> Intel LGA 2066 / 2011-v3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150 / 775 socket, Compatible with --> AMD AM4 / AM3+ / AM3 / AM2+ / AM2 / FM2+ / FM2 / FM1 socket











Specifications

Features:

MasterLiquid Lite 240
Liquid CPU cooling optimized for low noise and performance. Easy to install 240mm radiator makes this the perfect all-in-one liquid cooling for novice to experienced builders.

Dual-Chamber Pump
Isolates the heated coolant, therefore maximizes the results of the cooling of the processor.

Stylish Radiator
Custom design low resistance radiator allows higher flow rate, heat exchange efficiency and provides unmatched cooling performance.

LOW RESISTENCE 240MM RADIATOR

- 2 x MasterFan Air Balance 120
- Dual Chamber Pump
- Quality Precision Copper Base

Specifications:

© 2018 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	MLW-D24M-A20PW-R1
Product Name	MasterLiquid Lite 240
Model Number	MLW-D24M-A20PW-R1
CPU Socket	Intel LGA 2066 / 2011-v3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150 / 775 socket
	AMD AM4 / AM3+ / AM3 / AM2+ / AM2 / FM2+ / FM2 / FM1 socket
Radiator	Material : Aluminum
	Dimensions : 277 x 119.6 x 27mm (10.9 x 4.71 x 1.1")
Fan	Dimensions : 120 x 120 x 25 mm (4.7 x 4.7 x 1")
	Speed : 650 ~ 2000 RPM (PWM) +/- 10%
	Air Flow : 66.7 CFM +/- 10%
	Air Pressure : 2.34 mmH2O +/- 10%
	MTTF : 160,000 hours
	Noise Level : 6 ~ 30 dBA
	Connector : 4-Pin (PWM)
	Rated Voltage : 12 VDC

Pump	Dimensions : 80.3 x 76 x 42.2 mm (3.2 x 3.0 x 1.7")
	MTTF : 70,000 hours
	Noise Level : < 15 dBA
	Connector : 3-Pin
	Rated Voltage : 12 VDC
EAN code	4719512063200
UPC code	884102035883

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/MLW-D24M-A20PW-R1-Coolermaster-Masterliquid-Lite-240-Pre-filled-Liquid-Based-CPU-p-182922.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-21 04:32:16.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.