**ComX Computers**
Product Specification Sheet

# MNDE210-AMNZ

DELL E2418HN 23.8" IPS Full HD (1920 x 1080 resolution) LED Backlit Monitor, HDMI, VGA

## Product Overview

DELL E2418HN 23.8" IPS Full HD (1920 x 1080 resolution) LED Backlit Monitor, 16:9 aspect ratio, 1000: 1 (typical) Contrast Ratio, 250 cd/m2 brightness, 8 ms Response Time (typical - normal mode), 178 degree vertical & horizontal Viewing angle, Antiglare with 3H hardness, 1920 x 1080 at 60Hz, Tilt, VESA 100mm, VGA, HDMI





**Connectivity Options**

**Ports and Slots:**
1. Power cable connector | 2. Sound bar mounting slots | 3. HDMI | 4. VGA

**Cables Included:**
1. HDMI Cable
2. VGA Cable



## Specifications

**Overview:**

**Dell 24 Monitor: E2418HN - Every feature you value.**
A 23.8" display with a wide viewing angle, an environmentally conscious design and rigorous reliability testing define the Dell 24 Monitor - E2418HN.

**Features:**

**An everyday office essential**
Maximize workplace productivity with a monitor designed to meet your business needs.

- Screen performance: View your applications, spreadsheets and more on 23.8 inches of 1920x1080 Full HD clarity.
- Work comfortably: Optimize eye comfort and reduce harmful blue light emissions with ComfortView and a flicker free screen.

- Brilliant at every angle: See consistent colors across a wide 178 degrees/178 degrees viewing angle with in-plane switching technology.

**Superb usability**
Create a workspace that fits your desired specifications.

- Convenient controls: Easily access buttons for power, brightness, contrast and customizable preset modes on the monitor's front panel.
- Versatility included: Get the flexibility to configure your monitor with various mounts and stands for evolving office requirements.
- Tilt at will: Work comfortably by tilting the monitor 5 degrees forward or 21 degrees backward.
- Plug and view: The monitor is compatible with most legacy and current PCs via VGA and HDMI connectivity.

**Ports and Slots:**
1. Power cable connector | 2. Sound bar mounting slots | 3. HDMI | 4. VGA

**Cables Included:**
1. HDMI Cable
2. VGA Cable

**Specifications:**

© 2018 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

| Specifications | |
|---|---|
| **Product Code** | MNDE210-AMNZ |
| **Display** | |
| **Diagonal Viewing Size** | 60.47 cm |
| | 23.8" |
| **Panel Type** | In-Plane switching Technology |
| **Preset Display Area (H x V)** | 527.04 mm x 296.46 mm |
| | 20.75" x 11.67" |
| | 156246.27 mm² (242.18 inches²) |
| **Contrast Ratio** | 1000: 1 (typical) |
| **Backlight Technology** | LED |
| **Brightness** | 250 cd/m² (typical) |
| **Adjustabililty** | Tilt (-5 degrees to 21 degrees) |
| | Built in cable-management |
| **Response Time** | 5 ms (gray to gray -fast mode) |
| | 8 ms (typical- normal mode) |
| **Viewing angle** | (178 degrees vertical / 178 degrees horizontal) |
| **Color Support** | Color Gamut (typical): 87% (CIE 1976), 72% (CIE 1931) |
| | Color Depth: 16.7 Million colors |
| **Color Calibration SDK SW** | No |

| | |
|---|---|
| **Color Calibration with X-rite colorimeter** | No |
| **Pixel Pitch** | 0.275 mm x 0.275 mm |
| **Display Screen Coating** | Antiglare with 3H hardness |
| **Aspect Ratio** | (16:9) |
| **Maximum Preset Resolution** | 1920 x 1080 at 60Hz |
| **Pixel Per Inch (PPI)** | 93 |
| **Wireless Charging Feature** | N/A |
| **G-SYNC Support** | N/A |
| **PbP / PiP** | PbP (No) |
| | PiP (No) |
| **Daisy Chain Availability** | No |
| **Dell Display Manager Compatibility** | Yes |
| **Remote Asset Management** | Yes, via Dell Command, Monitor |
| **Audio Output** | Optional Soundbar - (AC511) & (AE515) |
| **Stand** | |
| **Flat Panel Mount Interface** | VESA (100 mm) |
| **Connectivity** | |
| **Ports** | 1 x HDMI (ver 1.4) |
| | 1 x VGA |
| **Built-in Devices** | N/A |
| **Security** | |
| **Lock** | Security lock slot (cable lock sold separately) |
| | Anti-theft stand lock slot (to panel) |
| **Dimensions** | |
| **Height with stand** | 425.1 mm |
| | 16.73" |
| **Width with stand** | 562.6 mm |
| | 22.15" |
| **Depth with stand** | 179.9 mm |
| | 7.08" |
| **Height without stand** | 333.1 mm |
| | 13.11" |
| **Width without stand** | 562.6 mm |
| | 21.15" |
| **Depth without stand** | 53.5mm |
| | 2.11" |

| | |
|---|---|
| **Weight (panel only - for VESA mount)** | 3.28 kg |
| | 7.23 lb |
| **Weight (with packaging)** | 5.77 kg |
| | 12.72 lb |
| **Power** | |
| **Voltage Required** | 100 to 240 VAC / 50 or 60 Hz +/- 3Hz / 1 A (typical) |
| **Power Consumption (Operational)** | 22W (typical) /25W (maximum)5/12.64W (Energy Star) |
| **Power Consumption Stand by / Sleep** | Less than 0.3W |
| **Environmental** | |
| **Temperature Range** | Operating: 0 degrees to 40 degreesC (32 degrees to 104 degreesF) |
| | Non-operating: -20 degrees to 60 degrees (-4 degrees to 140 degrees F) |
| **Humidity Range** | Operating: 10% to 80% (non-condensing) |
| | Non-Operating: 5% to 90% (non-condensing) |
| **Altitude** | Operating: 5,000 m (16,404 ft) max |
| | Non-Operating: 12,192 m (40,000 ft) max |
| **Regulatory** | |
| **Compliant Standards** | ENERGY STAR |
| | EPEAT gold |
| | TCO Certified Displays |
| | RoHS Complaint |
| | Product Safety, EMC and Environmental Datasheets |
| | Dell Regulatory Compliance Home Page |
| | Dell and the Environment |
| **What's Included** | |
| **Included items** | Monitor with stand |
| | Power cable |
| | 1 x HDMI Cable |
| | 1 x VGA Cable (Europe, Middle East, Africa and Japan only) |
| | Drivers and documentation media |
| | Quick setup guide |
| | Safety Information |

## Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

**Product page:**
**https://www.comx-computers.co.za/MNDE210-AMNZ-DELL-E2418HN-23-8-IPS-Full-HD-1920-x-1080-resolution-LED-Backlit-Monitor-p-176491.php**

*Images and specifications are provided for reference and are subject to change without notice. E&OE.*

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-15 17:16:34.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.