MNPH203V5LHSB2/73

Philips 203V5LHSB2 19.5" 1600x900 Monitor, VGA, HDMI

Product Overview

Philips 203V5LHSB2 WXGA HD+ 1600x900 LED Backlit 19.5" monitor, Wall Mountable, 16:9 Aspect Ratio, 200cd/m2 Brightness, 600:1 Contrast Ratio, 5ms Response time, VGA, HDMI





Specifications

Philips 203V5LHSB2 19.5" Monitor

LED technology
White LED's are solid state devices which light up to full, consistent brightness faster saving startup time. LED's are free from mercury content which allows for eco-friendly recycling and disposal process. LED's allow for better dimming control of LCD backlight, resulting in super high contrast ratio. It also gives superior color reproduction thanks to consistent brightness across the screen.

HDMI Ready
An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables high-quality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

Mercury Free
Philips monitors with LED backlighting are free of Mercury content, one of the most toxic natural substances, which affects humans and animals. This reduces the environmental impact of the display throughout its life-cycle, from manufacturing to disposal.

Specifications:

Picture/Display	LCD panel type: TFT-LCD
	Backlight type: W-LED system
	Panel Size: 19.5 inch / 49.5 cm
	Effective viewing area: 433.9 (H) x 236.3 (V)
	Aspect ratio: 16:9
	Optimum resolution: 1600 x 900 @ 60 Hz
	Response time (typical): 5 ms
	Brightness: 200 cd/m²
	Contrast ratio (typical): 600:1
	Pixel pitch: 0.26 x 0.26 mm
	Viewing angle: 90º (H) / 65º (V), @ C/R >, 10
	Display colors: 16.7 M
	Scanning Frequency: 30 -8 3 kHz (H) / 56 -76 Hz (V)
	sRGB
Connectivity	Signal Input: VGA (Analog), HDMI (digital, HDCP)
	Sync Input: Separate Sync, Sync on Green
Convenience	User convenience: Power On/Off
	OSD Languages: Brazil Portuguese, Czech, Dutch, En glish, Finnish, French, German, Greek, Hungarian, Italian, Ja panese, Korean, Polish, Portuguese, Russian, Simp lified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukranian
	Other convenience: Kensington lock, VESA mount (100 x100mm)
	Plug & Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 7, Windows 8
Stand	Tilt: -3/10 degree
Power	On mode: 17.69 W (typ.), 18.46 W (max.)
	Standby mode: 0.5 W (typ.)
	Off mode: 0.5 W (typ.)
	Power LED indicator: Operation - White, Standby mode- White (blinking)
	Power supply: Built-in, 100-240VAC, 50-60Hz
Dimensions	Product with stand (mm): 465 x 345 x 170 mm
	Product without stand (mm): 465 x 285 x 48 mm
	Packaging in mm (WxHxD): 503 x 350 x 109 mm
Weight	Product with stand (kg): 2.33 kg
	Product without stand (kg): 2.03 kg
	Product with packaging (kg): 3.23 kg

Operating conditions	Temperature range (operation): 0 degreesC to 40 degreesC
	Temperature range (storage): -20 degreesC to 60 degreesC
	Relative humidity: 20%-80 %
	Altitude: Operation: +12, 000ft (3, 658m), Non- op eration: +40, 000ft (12, 192m)
	MTBF: 30,000 hour(s)
Sustainability	Environmental and ener gy: EPEAT Silver, RoHS, Lead-free, Mercury Free
	Recyclable packaging material: 100 %
Compliance and standards	Regulatory Approvals: CE Mark, FCC Class B, CU, SEMKO, cETLus, TUV/ISO9241-307, SASO, EPA, CB, PSB, KUCAS, TBS, CoC
Cabinet	Color: Black
	Finish: Hairline (front bezel) / Texture (rear cover)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/MNPH203V5LHSB2-73-Philips-203V5LHSB2-19-5-1600x900-Monitor-VGA-HDMI-p-156624.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-15 17:18:55.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.