

MR.JTU11.004

Acer X1128i 4500 Lumens DLP 3D SVGA 800x600 Projector, HDMI, VGA

Product Overview

Acer X1128i 4500 Lumens DLP 3D SVGA 800x600 Projector, 4:3 native Aspect Ratio, 20000:1 contrast ratio, 2x Digital Zoom, 120 Hz Maximum vertical Sync, 7.62 m Maximum diagonal image size, 1 m minimum projection distance, 11.80 m Maximum projection distance, 1.1x Optical Zoom, USB, Composite Video, HDMI, VGA Input, 1x audio Input, 1x audio Output, Audio line in, Audio line out, 3 W Speaker Output power, Ezcast, Miracast Wi-Fi





Specifications

Overview Summary:

The Acer X1128i projector delivers bright and clear visuals with 4500 lumens and SVGA resolution, perfect for presentations, gaming, and movies. Its wireless projection capabilities and HDMI 3D support ensure flexibility and immersive viewing, making it ideal for home or office use. Buy now to experience vibrant images and reliable performance in South Africa.

Performance tier:Mid-range

Uses:Presentations, home entertainment, gaming, office use, 3D viewing

Overview:

Acer X1128i Projector: Bright, Reliable, and Wireless SVGA Projection

Overview of the Acer X1128i Projector:

The Acer X1128i projector is designed to deliver crisp and vibrant visuals whether you're working in the office or enjoying entertainment at home. With 4500 lumens brightness, wireless projection capabilities, and HDMI 3D support, this projector ensures clear presentations and immersive viewing experiences. Its durable design supports 24/7 operation, making it ideal for continuous use in public displays, exhibitions, or extended gaming and movie sessions.

Features:

Key Features of the Acer X1128i Projector

Wireless Projection for a Clutter-Free Setup

Eliminate the hassle of tangled cables with easy wireless projection options. The wireless dongle design allows you to stream content directly from your device without the need for extra wiring.

Bright and Vibrant Images with 4500 Lumens

Experience clear and bright visuals even in well-lit rooms. With up to 4500 lumens, the projector works perfectly in daylight or medium to large spaces, ensuring your images remain sharp and vivid.

SVGA Resolution for Clear Details

The Acer X1128i offers an 800x600 SVGA resolution, delivering sharp, detailed images and videos that meet standard

projection expectations. This makes it suitable for presentations, movies, and gaming alike.

Immersive 3D Viewing with HDMI Support

Step beyond flat screens with HDMI 3D display capabilities. Enjoy immersive 3D visuals that make your movies, games, and sports broadcasts come alive right in your living room.

Advanced Technologies Enhancing Your Viewing Experience**Acer LumiSense for Optimal Brightness and Color**

Automatically adjusts image brightness and color saturation depending on the content, ensuring every scene looks its best.

Acer ColorSafe II for Consistent Color Quality

Maintains natural and vibrant colors over time by controlling dynamic RGB levels, preventing color fading and decay.

Acer BlueLightShield to Reduce Eye Strain

Protect your eyes during extended viewing sessions with Acer BlueLightShield technology, designed to minimize harmful blue light exposure.

Designed for Continuous Use and Sports Enthusiasts**24/7 Operation for Nonstop Performance**

This projector supports continuous use 24 hours a day, 7 days a week. It's a reliable choice for public displays, exhibitions, or any situation that requires prolonged projection without downtime.

Football Mode for Enhanced Sports Viewing

Enjoy watching your favorite games on a large screen with Football Mode, which boosts colors and enhances motion clarity to capture every thrilling moment on the field.

Acer X1128i Projector Technical Specifications

- Display Technology: DLP
- Brightness: 4500 Lumens
- Resolution: SVGA (800 x 600)
- Aspect Ratio: 4:3 Native
- Contrast Ratio: 20,000:1
- Zoom: 1.1x Optical Zoom, 2x Digital Zoom
- Maximum Image Size: Up to 7.62 meters diagonal
- Projection Distance: 1 meter minimum, 11.8 meters maximum
- Refresh Rate: 120 Hz Maximum Vertical Sync
- Inputs: USB, Composite Video, HDMI, VGA
- Audio: 1x Audio Input, 1x Audio Output, 3W Speaker Power
- Wireless: Ezcast, Miracast Wi-Fi Support
- Model Number: MR.JTU11.004

With its combination of bright visuals, wireless freedom, and smart image technologies, the Acer X1128i projector is an excellent choice for anyone looking to elevate presentations, gaming, or movie nights.

Specifications:

© 2025 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

ComX Computers

Product Specification Sheet

Specifications	
Product Code	MR.JTU11.004
Image	
Native Resolution	800 x 600
Maximum Resolution	1920 x 1200
Standard Mode Brightness	4500 lm
Native Aspect Ratio	4:3
Contrast Ratio	20,000:1
Digital Zoom	2x
Vertical Keystone Correction	-40degrees/+40degrees
Maximum Vertical Sync	120 Hz
Maximum Horizontal Sync	100 kHz
Minimum Vertical Sync	24 Hz
Minimum Horizontal Sync	15 kHz
Colour Supported	1.07 Billion Colors (30-bit)
Projection Lens	
Minimum Focal Length	21.85 mm
Maximum Focal Length	24.01 mm
Minimum Diagonal Image Size	584.20 mm
Maximum Diagonal Image Size	7.62 m (300")
Minimum Projection Distance	1 m
Maximum Projection Distance	11.80 m
Optical Zoom	1.1x
Lamp	
Number of Lamps	1
Lamp Power	220 W
Interfaces/Ports	
USB	Yes
Composite Video	Yes
Number of VGA Inputs	1
VGA In	Yes
Number Of Audio Inputs	1
Number Of Audio Outputs	1
Audio Line In	Yes
Audio Line Out	Yes
Technical Information	
Projection System	DLP

ComX Computers

Product Specification Sheet

Projection Method	Ceiling
	Front
	Rear
	Rear Ceiling
Video Compatibility	EDTV
	HDTV
	NTSC
	PAL
	SDTV
	SECAM
Computer Compatibility	Google Chrome PC
	Mac PC
	Windows PC
Audio	
Number of Speakers	1
Speaker Output Power	3 W
Speaker Output Mode	Mono
Network & Communication	
Wireless Capability	EZCast
	Miracast Wi-Fi
Power Description	
Input Voltage	120 V AC
	230 V AC
Operating Power Consumption	265 W
Standby Power Consumption	500 mW
Physical Characteristics	
Installation	Ceiling Mount
Weight (Approximate)	2.75 kg
Form Factor	Ceiling Mountable
Height	113.7 mm
Width	313 mm
Depth	240 mm
Miscellaneous	

ComX Computers

Product Specification Sheet

Package Contents	X1128i DLP Projector
	AC Power Cord
	Battery for remote control
	Lens Cap
	Quick Start Guide
	Remote Control
	Security Card
	VGA Cable
Optional Accessories	3D Glasses (MC.JFZ11.00B)
	Lamp (MC.JR711.008)
	Ceiling Mount (MC.JLC11.003)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/MR-JTU11-004-Acer-X1128i-4500-Lumens-DLP-3D-SVGA-800x600-Buy-p-326960.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-25 22:42:16.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.