ComX Computers
Product Specification Sheet

MS108

Mercusys MS108 8-Port 10/100Mbps Desktop Switch

Product Overview

Mercusys MS108 8-Port 10/100Mbps Desktop Switch, PORT: 8x 10/100 Mbps Ports, SPEC: Plastic Case, FEATURE: Plug and Play, Compact design





Specifications

Features:

- Eight 10/100Mbps auto-negotiation RJ45 ports with auto MDI / MDIX supported
- Easily wired network expansion
- Compact design for flexible arrangement
- Plug and play setup, no configuration required

Sleek,Ultra-Compact Design
About the same size as a smartphone, the MS108 can be placed anywhere in your home without taking up too much space. Its fanless design allows it to remain unobtrusive, regardless of how long it has been running.

Expand Ethernet Network
With eight 10/100Mbps Ethernet ports, you can quickly expand your wired network. The MS108 is flexible and is fully compatible with computers, printers, IP cameras, smart TVs, game consoles, and more. This makes it perfect for home, small office, and even dormitory environments.

Ease of Use
Forget about complicated installation. Just connect the switch to your TV or computer via an Ethernet cable to immediately expand your wired network. Absolutely no configuration is required.

Reliable Performance
With Half/Full Duplex and MAC Address Learning Technology, the MS108 provides up to 1.6Gbps of stable switching bandwidth. Every unit undergoes extensive testing prior to shipment, ensuring that the MS108 will provide reliable, uninterrupted connections for years to come.

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	MS108
Software	
Transfer Method	Store and forward
Hardware	
Dimensions (W X D X H)	127 x 60.3 x 22 mm
Interfaces	8 10/100Mbps ports, auto-negotiation, auto-MDI/MDIX
External Power Supply	External power adapter
	(Output: 5.0VDC / 0.6A)
Standards and Protocols	IEEE 802.3, IEEE 802.3u, IEEE 802.3x
	CSMA/CD
Fan Quantity	Fanless
Data Rates	10/100Mbps at half duplex
	20/200Mbps at full duplex
Buffer Capacity	768Kb
Jumbo Frame	2KB
Switching Capacity	1.6Gbps
LED	Ethernet (1, 2, 3, 4, 5, 6, 7, 8), Power
Others	
Certifications	CE, RoHS
Package Contents	8-Port 10/100Mbps Desktop Switch
	MS108
	Power adapter
	Quick installation guide
Environment	Operating temperature: 0 degreesC~40 degreesC (32 degreesF~104 degreesF)
	Storage temperature: -40 degreesC~70 degreesC (-40 degreesF~158 degreesF)
	Operating humidity: 10% ~ 90% non-condensing
	Storage humidity: 5%~90% non-condensing

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/MS108-Mercusys-MS108-8-Port-10-100Mbps-Desktop-Switch-p-301705.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-11 03:05:33.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.