ComX Computers
Product Specification Sheet

Mo-3CC

3dconnexion 3DX-700081 Cadmouse Compact

Product Overview

3dconnexion 3DX-700081 Cadmouse Compact - 110x67x38mm compact size, designed for CAD professional, Intelligent Ergonomic Design with middle button, side quick zoom buttons or scroll zoom in/out, 7200dpi, 1000hz poll rate, 7x buttons (with quick-acc



Specifications

Features:

- 7 buttons (5 programmable)
- Compact ergonomic shape with dedicated middle mouse button
- High resolution sensor
- Smart Mouse Wheel 2
- QuickZoom
- Specially developed PTFE feet
- Customizable radial menu

High-Caliber Performance in a compact form factor
The CadMouse Compact is the ultimate wired mouse specifically suited for design and engineering professionals who prefer to use a compact form factor for their hand size and grip type. Demonstrating our refined precision technology in a compact body, it is ideal for those who frequently switch environments, requiring faster and more agile movement.

Ergonomic Design
Optimized shape for natural wrist positioning with a dedicated middle mouse button

High Precision
High-resolution optical sensor with a 1,000Hz polling rate

Maximum Durability
High-quality, long-life switches made with resilient components and materials

Smart Mouse Wheel 2
Smooth scrolling and Tick-to-Tick zooming in CAD applications

Quick Zoom
Effortlessly zoom in-and-out of geometry with a single click

Radial Menu
Provides quick access to your favorite application commands

Compact Ergonomic Design
3Dconnexion has met a design challenge by introducing a dedicated middle mouse button despite a compact size, which allows to reduce the required actuation pressure up to four times less. This provides a more delicate, precise click requiring less force than scroll wheel clicks on traditional mice. It also reduces the muscle and tendon discomfort frequently encountered during long working sessions.

High Precision
Renowned for its refined precision technology, the mouse guarantees ever reliable and consistent pointer control, regardless of hand movement. The high-resolution optical sensor of 7200 dpi promises zero smoothing, acceleration or filtering for quality results on every project, and polling rate up to 1,000Hz. And thanks to the synergy between the mouse feet material, comprised of polytetrafluoroethylene (PTFE), with the CadMouse Pad, a perfected equilibrium between static and dynamic friction is created, giving users the finest precision.

Durability to Last
The mouse's Switch Mechanical Life is designed to handle over 50 million clicks to its buttons. It is engineered with the best resistant materials and components for greater durability. This, combined with its built-to-last design, means CAD professionals will experience high-quality use with additional piece of mind.

Professional Scroll & Zoom Navigation in CAD
CAD professionals need to zoom in-and-out of 3D environments with precision, and an ability to scroll through long documents with control and efficiency during a fast-paced workday. Thanks to improved 3DxWare 10 Software, conveniently located QuickZoom buttons, and an advanced Smart Scroll Wheel 2, CAD users will experience meticulous control of their drawings and 3D images, and easy document navigation tailored to their needs.

Smart Mouse Wheel 2
This functionality offers several advanced scrolling modes based on activity, which alter scroll behavior to adapt to the software and when necessary, to apply more precise control. The CAD-specific Tick-to-Tick function allows users to zoom in and out of models and drawings with exceptional seamlessness. For other applications, the Wheel offers a reliable scroll and to fly over very large documents or lengthy webpages.

QuickZoom
This feature allows to zoom in and out of models and drawings with a level of exceptional finesse while automatically centering the drawing to where the cursor is. By pressing the thumb's buttons one zooms in and out of the cursor's position; and fine tunes the zoom level by continuing to keep the corresponding button pressed.

Easy Access to Application Commands
With the Top Button, which opens an application or environment-specific Radial Menu that is gesture-controlled and customizable, users get quick access to their favorite commands with a swift mouse movement.

Single driver. Multiple devices.
3DxWare 10 is the single driver foundation for all your 3Dconnexion devices. Its simple but powerful interface makes it easy to individualize all your 3Dconnexion products.

Specifications:

© 2021 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	Mo-3CC
Sensor	High resolution optical sensor: 7,200 DPI
	Polling rate: 1.000Hz
Buttons	Dedicated middle mouse button
	Main buttons with 50 million clicks mechanical life
	5 buttons programmable
Dimensions & Weight	Length: 115 mm / 4.5"
	Width: 71 mm / 2.8"
	Height: 41 mm / 1.6"
	Weight: 96 g / 0.21 lbs / 3,39 oz
Package Contents	3Dconnexion CadMouse Compact
System Requirements	Microsoft Windows, macOS
Certifications & Registrations	CE, FCC, KC, RCM, BSMI, RoHS, WEEE, LUCID

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/Mo-3CC-3dconnexion-3DX-700081-Cadmouse-Compact-p-254554.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-19 23:30:12.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.