**ComX Computers**
Product Specification Sheet

# NET-MER-MW150US

Mercusys MW150US N150 Wireless Nano USB Adapter

## Product Overview

Mercusys MW150US N150 Wireless Nano USB Adapter




## Specifications

**Features:**

- Compact, convenient solution to make your device wireless
- Perfect for essential Internet applications such as web browsing, email, and chatting
- Supports Windows 10/8.1/8/7/XP (32/64bit)

**Miniature Size**
With its ultra-compact design, the MW150US is extremely convenient for usage at home or outside. All you need to do is connecting this miniature adapter to a computer's USB port. Then you can just leave it there without any worry.

**150Mbps Wireless Speed**
This miniature adapter can achieve wireless speeds of up to 150Mbps, making it ideal for smooth web surfing, rapid file downloads, and stable Internet calls.

**Easy Setup**
A friendly user interface on a CD for simple installation

**Operating System**
Supports Windows10/8.1/8/7/XP

**Specifications:**

© 2021 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

| Specifications | |
|---|---|
| **Product Code** | NET-MER-MW150US |
| **Wireless** | |

| | |
|---|---|
| **Wireless Standards** | IEEE 802.11n, IEEE 802.11g, IEEE 802.11b |
| **Frequency** | 2.400 - 2.4835GHz |
| **WiFi Speeds** | 11n: Up to 150Mbps (Dynamic) |
| | 11g: Up to 54Mbps (Dynamic) |
| | 11b: Up to 11Mbps (Dynamic) |
| **Reception Sensitivity** | 130M: -65dBm@10% PER 11M: -85dBm@8% PER |
| | 108M: -68dBm@10% PER 6 M: -88dBm@10% PER |
| | 54M: -68dBm@10% PER 1 M: -90dBm@8% PER |
| **Transmission Power** | |
| **Wireless Security** | WEP, WPA/WPA2, WPA-PSK/WPA2-PSK |
| **Hardware** | |
| **Dimensions** | 0.74 x 0.58 x 0.27 in. (18.9 x 14.8 x 6.85 mm) |
| **Interfaces** | USB 2.0 |
| **Antenna Type** | Internal |
| **Others** | |
| **Certifications** | CE, ROHS |
| **Package Contents** | N150 Wireless Nano USB Adapter |
| | MW150US |
| | Quick installation guide |
| | Resource CD |
| **Environment** | Operating temperature: 0 degreesC ~40 degreesC (32 degreesF ~104 degreesF) |
| | Storage temperature: -40 degreesC~70 degreesC (-40 degreesF~158 degreesF) |
| | Operating humidity: 10%~ 90% non-condensing |
| | Storage humidity: 5%~90% non-condensing |
| **System Requirements** | Windows 10/8.1/8/7/XP (32/64bit) |

## Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

**Product page:**
**https://www.comx-computers.co.za/NET-MER-MW150US-Mercusys-MW150US-N150-Wireless-Nano-USB-Adapter-p-251788.php**

*Images and specifications are provided for reference and are subject to change without notice. E&OE.*

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-13 01:20:01.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.