
ComX Computers
Product Specification Sheet


NET-TL-SM331T


TP-Link TL-SM331T - 1000Base-T RJ45 SFP module

Product Overview


TP-Link TL-SM331T - 1000Base-T RJ45 SFP module, Hot Swappable, 100m Maximum cable length, 1.25 Gbps Data rate, 1x Gigabit RJ45 Port











Specifications

Overview:

TL-SM331T - 1000BASE-T RJ45 SFP Module

- Support 1000BASE-T Operation in Host Systems
- Support TX Disable function
- For 100m Reach Over UTP Cat 5e or above Cable
- Hot-Pluggable SFP Footprint Features
- Commercial Product Operating Temperature Range: 0-70 degreesC
- Compliant with IEEE Std 802.3-2002
- Fully Metallic Enclosure for Low EMI
- Low Power Dissipation (0.5 W Typical, 0.8 W Max)

Features:

1000BASE-T RJ45 SFP Module

Extend your copper connection by up to 100 meters

TL-SM331T

- Gigabit RJ45 Port
- Plug and Play
- Durable Metal Casing
- Wide Operating Temperature
- High Compatibility
- Low Power Consumption

Gigabit Port for a High-Speed Connection

Transmit data seamlessly up to 100 meters between your SFP interface and the copper gigabit port.

Plug and Play

A plug-and-play design makes for easy deployment, no technician needed.

- Plug In
- Connect Devices IP Camera IP Phone Access Point
- Enjoy

Durable Metal Casing

High-quality metal casing ensures strength and reliability for a long time, maintaining a stable connection in a wide range of environments.

High Compatibility

Connect your devices with fewer concerns. Our product is perfectly compatible with various optic fiber equipment from different vendors.

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	NET-TL-SM331T
PACKAGE CONTENTS	

Package Contents	1000BASE-T RJ45 SFP Module TL-SM331T
	Installation Guide
HARDWARE FEATURES	
Hot Swappable	Yes
MEDIA CONVERTER & MODULE	
Dimensions (W*D*H)	2.7*0.5*0.5 in (67.4*13.75*13.8 mm)
TRANSCEIVER	
Standards and Protocols	IEEE 802.3-2002
Power Supply	3.3V
Max. Cable Length	100m* (Cat 5e or above)
Data Rate	1.25 Gbps
Port Type	1 x 1000 Mbps RJ45 Port
Safety & Emission	FCC, CE
Environment	Operating Temperature: 0-70 degreesC (32-158 degreesF)
	Storage Temperature: -40-85 degreesC (-40-185 degreesF)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/NET-TL-SM331T-TP-Link-TL-SM331T-1000Base-T-RJ45-SFP-module-p-299637.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-10 10:14:51.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.