ComX Computers
Product Specification Sheet

NET-TL-TAPO-C310-2PK

TP-Link Tapo C310 Outdoor Home Security Wi-Fi camera with 3.9mm Lens - 2 pack

Product Overview

TP-Link Tapo C310 Outdoor Home Security Wi-Fi camera with 3.9mm lens - 2 pack, 2.4GHz Frequency, Motion Detection Input trigger, Push notification Output notification, H.264 Video Compression, 15fps Frame rate, 3MP Video Streaming, 1/2.7" image Sensor, 3 MP (2304x1296) Resolution, IR LED up to 30m, 2-way audio, Built-In Microphone and Speaker







Specifications

Overview:

Tapo C310 - Outdoor Security Wi-Fi Camera

- Ultra-High-Definition Video: Records every image in crystal-clear 3MP definition.
- Wired or Wireless Networking: Connect your camera to the network through Ethernet or WiFi for more flexible installation.
- Advanced Night Vision: Provides a visual distance of up to 98 ft (30m) even in total darkness.
- Motion Detection and Notifications: Notifies you when the camera detects movement.
- Sound and Light Alarm: Trigger light and sound effects to frighten away unwanted visitors.
- Two-Way Audio: Enables communication through a built-in microphone and speaker.
- Safe Storage: Locally stores up to 128 GB 3MP video on a microSD card, offering convenient access to your video footage.
- Voice Control: Free Up Your Hands with Voice Control: Works with the Google Assistant and Amazon Alexa. (Google Assistant and Amazon Alexa are not available in all languages and countries).

Features:

Protecting You Day and Night

Outdoor Security Wi-Fi Camera

Tapo C310

- Motion Detection and Notifications
- 3MP Ultra-High Definition
- Wired or Wireless Networking
- IP66 Weatherproof
- Two-Way Audio
- Local Storage (SD card not included)

Motion Detection and Notifications

Receive instant notifications and check feeds when the motion is detected. This helps you protect your home day and night.

3MP Ultra-High Definition

With 3MP high resolution, Tapo C310 delivers vivid images helping identification and recognition from fay away.

2MP3MP

Wired or Wireless Networking

Connect your camera to the network through Ethernet or Wi-Fi for more flexible installation.

IP66 Weatherproof

Helps Tapo C310 perform well even in harsh environments with rain and dust.

Two-Way Audio

Always be on site with two-way audio. Communicate with a delivery person for your convenience.

Secure and Convenient Local Storage

Stores 3MP video directly to a local microSD card, offering convenient access to your video footage.

Sharp Night Vision

Provides a visual distance of up to 98 ft (30 m) even in total darkness to always keep tou safe.

Automatic Siren

The automatic siren system will trigger light and sound to frighten away unwanted visitors after the camera detects motion.

Dedicated Tapo App

Live view, playback, save clips and set up- all in one app.

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	NET-TL-TAPO-C310-2PK
NETWORK	
Security	128 bit AES encryption with SSL/TLS
Wireless Rate	11Mbps(802.11b)
	54Mbps(802.11g)
	150Mbps(802.11n)
Frequency	2.4 GHz

Wireless Security	WPA/WPA2-PSK
ACTIVITY NOTIFICATIONS	
Input Trigger	Motion detection
Output Notification	Push notification
VIDEO	
Video Compression	H.264
Frame Rate	15fps
Video Streaming	3MP
SYSTEM	
Regulatory Certification	CE, NCC
System Requirements	iOS 9+, Android 4.4+
ENVIRONMENT	
Operating Temperature	-20 degreesC~45 degreesC (-4 degreesF~113 degreesF)
Storage Temperature	-20 degreesC~70 degreesC (-4 degreesF~158 degreesF)
Operating Humidity	10%~90%RH non-condensing
Storage Humidity	5%~90%RH non-condensing
PACKAGE CONTENTS	
Package Contents	Tapo C310
	Power Adapter
	Mounting Template
	Anchors and Screws
	Waterproof Seal
	Waterproof Cable Attachments
	Quick Start Guide
HARDWARE	
Button	Reset button
Indicator LED	System LED
Adapter Input	100-240VAC, 50/60Hz, 0.3A
Adapter Output	9.0V/0.6A (DC Power)
Dimensions (W x D x H)	5.6 x 4.1 x 2.5 in. (142.3 x 103.4 x 64.3 mm)
CAMERA	
Image Sensor	1/2.7"
Resolution	3 MP (2304 x 1296)
Lens	F/NO: 2.2, Focal Length: 3.89mm
Night Vision	850 nm IR LED up to 98 ft (30m)
AUDIO	
Audio Communication	2-way audio

Audio Input & Output	Built-in microphone and speaker

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/NET-TL-TAPO-C310-2PK-TP-Link-Tapo-C310-Outdoor-Home-Security-Wi-Fi-camera-with-3-p-307576.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-11 06:34:31.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.