

OB731DNW

OKI B731DNW Mono Laser A4 Printer

Product Overview

OKI B731DNW WG Mono Laser A4 - print speed of 52 ppm black, 1200 x 1200 dpi with ProQ2400dpi technology, Direct PDF printing, 256MB memory expandable to 768MB, Optional 160GB HDD 800 MHz processor, 1 Gigabit Ethernet, 1 Hi-Speed USB 2.0, (1 X type A & 1 x type B) & Wireless LAN 802.11b/g/n, 100-sheet multipurpose tray, 530-sheet input tray 1, Languages; PCL5e, PCXL, PostScript3 Emulation, XPS, Epson FX, IBM PPR, Oki, Laser Printers



Specifications

Overview:

Ready to work on a wireless network, A4 mono printer supporting enterprise-class business efficiency

- A4 mono printer, 1-30 users
- Print speed of 52 pages / min., First page out time 5 seconds
- The standard paper capacity of 630 sheets (up to 3 600 sheets)
- Language Printing PCL6, PCL5e, Postscript 3 emulation, XPS, Epson FX, IBM PPR
- Duplex and Wi Fi standard

For busy tasks of the working groups B731dnw offers a fast, reliable printing. B731dnw combines advanced security, management and performance with robust and durable technology that allows printing up to 52 pages per minute (ppm), in order to improve the efficiency of office work. B731dnw is ready to work on a wireless network, allowing you to place the printer in a location that is most convenient.

Printer B731dnw thanks to the fast processor radzacego deal with high volumes of print jobs, the maximum input capacity of 3,160 sheets and toner containers high performance allows you to reduce the number of user intervention and increases the productivity of working groups. Features such as reliability, high performance, a monthly duty cycle up to 200k pages specify a printer that offers complete versatility of use of different types of media in any work environment.

Features:

Efficient operation, which increases business productivity

ComX Computers

Product Specification Sheet

machine uses high resolution digital printing with LED technology, ie. 1200 x 1200 dpi, which allows to achieve the highest level of print quality. Processor with a clock speed of 800 MHz and 256 MB of memory to help in the short term to achieve printing the first page, providing a high level of performance. In addition, standard paper input capacity of 630 sheets and convenient multi-purpose tray (MPT) provides flexible use of different types of media serving the maximum weight of 253g / m² - all this allows you to perform higher volumes of prints.

The highest level and document security and data

encryption of print jobs "Secure Print" protects corporate data; B731dnw also has other advanced systems access authentication with a PIN code to prevent unauthorized use.

Mobile Printing

Connect to your network wirelessly or with access to the Internet via a smartphone or tablet. The device is compatible with AirPrint * by Apple Inc., Cortado Workplace and ePrint from Microtech Corp, enabling remote printing from anywhere in the world, without having to connect directly to a management device print.

Energy-saving features, which reduces the impact on the environment

This device has many features, including duplex printing that reduces paper consumption and reduce running costs. When the device is not used, set this option automatically turns off the power supply, reducing power consumption to less than 0.5W, and Toner Save function less toner when printing drafts or internal documents.

Reliability you can count on

OKI printers due to the applied LED technology that requires less moving parts are inherently more reliable. **This means that we can offer a warranty which gives a feeling of total peace. Warranty is available upon product registration within 30 days of purchase.**

Specifications:

© 2014 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	OB731DNW
--------------	----------

Key Features

Description	A4 mono printer
-------------	-----------------

Number of users	from 1 to 30
-----------------	--------------

Printer

Print Speed	A4: 52 pages / minute
-------------	-----------------------

Time to first print	Less than 5 seconds
---------------------	---------------------

Warm-up Time	60 seconds from power on, 19 seconds from the start
--------------	---

Processor speed	800MHz
-----------------	--------

ComX Computers

Product Specification Sheet

Interface and Software	
Interface	10/100/1000 base T, Wireless LAN 802.11b / g / n, High Speed USB x 2 (1x type A & 1 x type B)
Printer Languages	PCL6, PCL5e, Postscript 3 emulation, XPS, Epson FX, IBM PPR
Network & protocols	Ethernet 10 / 100Base TX with internal web server for printer and network configuration and management. Includes SMTP mail client for alerts. All major network protocols: TCP / IP, IPv4, IPv6, ICMP, ARP, RARP, DHCP / BOOTP, "Port 9100", LPR / LPD, Apple Bonjour (mDNS), Dynamic DNS, DNS / WINS, HTTP, SMTP, POP3, FTP, SNMP v1 / v2 / v3, Ethernalk, Netware IPX / SPX, secure network protocols: IPSec, 802.1x Wired Authentication: EAPMD5, PEAP, EAP-TLS, AirPrint
OS Compatibility	Windows 8 (32-bit & 64-bit) / Windows 7 (32-bit & 64-bit) / Vista SP1 & SP2 (32-bit & 64-bit) / XP SP2 or later / Server 2008 SP1 or later (32-bit & 64-bit) / Server 2003 SP2 (32-bit & 64-bit) / Server 2008 R2 (64-bit); Mac OS X 10.4 / 10.5 / 10.6 / 10.7 / 10.8; PPDs for Linux / Unix
A set of utilities	Print Job Accounting, Print Job Accounting Client PrintSuperVision.NET, Template Manager, Universal PCL Print Driver, Storage Backup Utility Configuration Tool, OKI LPR Utility, PDF Direct Print
Print Quality	
Resolution	1200 x 1200dpi, 600 x 600dpi
Typefaces Print	
Printer fonts	Scaling: 87 PCL fonts & 136 PostScript fonts, Line Printer, OCR-A / B, USPS ZIP Barcode
Fonts point (dot-matrix)	Epson FX, IBM PPR
Barcode	10 types of one dimension with 26 versions of UPC-A, UPC-E, EAN / JAN-8, EAN / JAN-13, Interleaved2of5, Code39, Code 128, EAN / UCC-128, CODABAR, ZIP + 4POSTNET, 2 types of two dimensions: PDF417, QR code
Security	
Safety device	IP Filtering, MAC Filtering, IPSec, Secure Print, Secure Print job encryption, SMTP server authentication, SNMPv3, SSL / TLS Encryption, Port Change, Storage Device Encryption, Secure Erase, Disable USB Host feature, Protocol ON / OFF
Certifications	CE Mark, Energy Star, GS Mark
Paper Feed	
Paper capacity	Tray 1: 530 sheets of 80 g / m 2; Multi-purpose tray 100 sheets of 80 g / m 2
Paper capacity optional tray	Tray 2: 530 sheets of 80 g / m 2; Tray 3: 530 sheets of 80 g / m 2; Tray 4: 530 sheets of 80 g / m 2; High Capacity Feeder: 2 000 sheets of 80 g / m 2
Maximum paper capacity of	160 sheets 3 80 g / m 2
Paper sizes	Tray 1: A4, A5, B5; 2/3/4 Tray: A4, A5, B5; High Capacity Feeder: A4; Multi-purpose tray: A4, B5, A5, A6. Envelopes (Com-9, Com10, DL, C5). Support for custom sizes: Width 76-216mm, Length 127-1321mm; Duplex: A4, B5. Support for custom sizes: Width 148-216mm Length: 210-356mm
Paper Weight	Tray 1/2/3/4: 64 sheets of 220 g / m 2; High Capacity Feeder: 64 sheets with a weight of 220 g / m 2; Multi-purpose tray: 64 sheets with a weight of 253g / m 2; Duplex: 64 sheets with a weight of 220g / m2
Duplex unit	Standard
Paper output	Face Down: 100 sheets of 80 g / m 2; Face Up: 500 sheets of 80 g / m 2
Key features	

ComX Computers

Product Specification Sheet

Memory	Standard: 256MB; Maximum: 768MB
Hard Drive	Option: 160GB
Operating environment (operating)	10 degrees C to 32 degrees C / 20% RH to 80% RH (non-condensing)
Work environment (storage)	-10 degrees C to 43 degrees C / 10% relative humidity to 90% (non-condensing)
Power supply	Single phase 220-240 V AC, frequency 50/60 Hz +/- 2%
Power Consumption	mode: 850W; Max .: 1400W; Energy Saver Mode: 22W; Deep Sleep mode: 3.9W or less
Noise level	Operating: 57dB (A) or less; Silent mode: 53dB (A); Standby: 30dB (A) or less; Power Save: Background Level
Dimensions (H. X width. X D.)	410 x 435 x 498mm
Weight	27kg
Load (maximum)	200 000 pages / month
Load (recommended)	to 30 000 pages / month

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx-computers.co.za/OB731DNW-OKI-B731DNW-Mono-Laser-A4-Printer-p-101051.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-29 18:36:42.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.