ComX Computers
Product Specification Sheet

PLE-E2414H

Dell E-series E2414H 61cm (24") LED Monitor



Specifications

Specifications:

© 2014 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	PLE-E2414H
DISPLAY	
Diagonal Viewing Size	60.97 cm
	24.0 inches (24.0-inch wide viewable image size)
Aspect Ratio	Widescreen (16:9)
Panel Type, Surface	TN anti glare with hard coat 3H
Optimal Resolution	1920 x 1080 at 60 Hz
Viewable Image Dimension (H x W)	531.36 mm x 298.89 mm
	20.92" x 11.77"
Contrast Ratio	1000 to 1 (typical)
Backlight Technology	LED
Brightness	250 cd/m2 (typical)
Response Time	5 ms (back to white)
Viewing Angle	(160Â degrees vertical /170Â degrees horizontal)
Adjustability	Tilt only
Color Support	Color Gamut (typical): 83% (CIE 1976)
	Color Depth: 16.7 million colors
Built-in Devices	Dell Display Manager

Pixel Pitch	0.27 mm
Display Type	Widescreen Flat Panel Display
Flat Panel Mount Interface	VESA (100 mm) mounting holes for flexible mounting solutions
Display Screen Coating	Antiglare with hard-coating 3H
Audio Output	Optional Dell Soundbar (Model #AC511)
SIZE AND WEIGHT	
Dimensions with stand (H x W x D)	418.3 mm x 570.9 mm x 164.2 mm
	16.47 inches x 22.44 inches x 6.46 inches
Dimensions without stand (H x W x D)	337.5 mm x 570.0 mm x 46.5 mm
	13.29 inches x 22.44 inches x 1.83 inches
Weight (panel only - for VESA mount)	3.00 kg (6.75 lbs)
Weight (with packaging)	5.87 kg (12.94 lbs)
ELECTRICAL	
Voltage Required	100 to 240 VAC / 50 or 60 Hz 3Hz / 1.5 A (Max)
Power Consumption (Operational)	20W(typical) /30W(maximum)
Power Consumption Stand by / Sleep	Less than 0.5 W
ENVIRONMENTAL	
Temperature Range Operating	0 degreesC to 40 degreesC (32F degrees to 104 degreesF)
Temperature Range Non-operating	Storage : -20 degreesC to 60 degreesC (-4 degreesF to 140 degrees F)
	Shipping : -20 degreesC to 60 degreesC (-4 degrees to 140Â degrees F)
Humidity Range Operating	10% to 80% (non-condensing)
Humidity Range Non-operating	Storage : 5% to 90% (non-condensing)
	Shipping : 5% to 90% (non-condensing)
Altitude Operating	5,000 m (16, 400 ft) max
Altitude Non-operating	10668 m (35, 000 ft) max

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/PLE-E2414H-Dell-E-series-E2414H-61cm-24-LED-Monitor-p-103586.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-12 02:30:46.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.