ComX Computers
Product Specification Sheet

PLE-P1913

Dell Professional P1913 48cm/19" LED monitor

Product Overview

Dell Professional P1913 48cm/19" LED monitor, VGA/DVI-D/DP Connectors, 1440x900 Resolution, Black SAF.





Specifications

Overview:

- Give your productivity a boost with the comfortable design and convenient features of a high-performance, energy-conscious HD 19" monitor with LED.
- Work comfortably: Tilt, swivel and pivot your screen and adjust its height to suit your personal work style, plus plenty of convenient ports enable you to work in comfort.
- Enjoy the view: With the P1913's 1440 x 900 at 60 Hz HD resolution, vivid color palate and depth, and high dynamic contrast ratio, work never looked so good. And if you experience a single bright pixel, get a replacement free of charge with Dell's Premium Panel Guarantee offered during the Limited Hardware Warranty period1.
- Conserve energy: Meet the latest environmental standards while PowerNap2 software and Dynamic dimming3 features to help contain energy costs.

Features:

Comfortable? Let's get to work

- Whether you're using the P1913 to manage complex spreadsheets or to create your next big presentation, being productive has never felt better.
- Choose your view: The P1913 offers full adjustability features such as tilt, swivel, pivot and a broad height adjustment range of 130mm (5.12"). With Enhanced Menu Rotation software, a simple on-screen prompt enables you to rotate your screen from landscape to portrait and back again. You can even mount it to the wall to save valuable desk space.
- Make your connections: Easily connect your desktop or laptop to the P1913 via a standard VGA port, or take advantage of the DVI connector, which can present an outstanding digital image. Two convenient USB ports offer convenient connectivity for your peripheral devices such as mice, webcams, keyboards and more.

Performance fosters productivity

- Find your inspiration in every colorful detail. The 19" P1913 monitor will motivate and captivate with clarity, performance and visual precision.
- Enjoy crisp, clear images: Experience the sharp imagery provided by 1440 x 900 at 60 Hz HD resolution and a high dynamic contrast ratio of 2,000,000:1 (typical), all on a 16:10 aspect ratio widescreen.

- Discover a world of color: Your presentations, slideshows and image-intensive documents will come to life on the P1913, featuring a high color gamut of 83%4 and a color depth of 16.78M colors.
- Manage your display: Tailor your settings to suit your applications with the Auto-mode tab found in the Dell Display Manager. You can manually adjust your settings as you go, or auto-assign optimum preset modes to specific software applications and media players.

Take responsibility for your business and the environment

- Invest in a reliable, energy-conscious monitor designed to help minimize environmental impact, maximize business value, and control operating costs.
- Active-off mode and PowerNap2 software helps avoid wasting power when your monitor is idle. Dynamic dimming3 helps ensure you only use as much energy as your applications require. Mercury-free LED backlight is a low-energy light source that helps lower your power consumption. Dell Professional monitors are compliant with ENERGY STAR, EPEAT Gold, CEL and TCO Certified Display requirements.
- A stable, reliable life cycle helps ensure that your investment today will provide product line consistency for the future and help preserve your budget. Dell's Premium Panel Guarantee offers a free panel exchange in the event of a single bright pixel (during Limited Hardware Warranty5 period) for added peace of mind.
- The P1913 features an eco-conscious design with arsenic-free glass and a mercury-free panel. The BFR/PVC-free monitor (excluding cables) uses more than 25% post-consumer recycled materials in its chassis. Eco-conscious packaging includes easily recycled corrugated cardboard that is free of expanded polystyrene foam (EPS).

Specifications

© 2013 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Product Code	PLE-P1913
Specifications	

DISPLAY	Diagonallly Viewable Size:
	48.26 cm
	19 Inches (19-inch wide viewable image size)
	Aspect Ratio:
	Widescreen (16:10)
	Panel Type:
	TN (Twisted Nematic), anti glare with hard coat 3H
	Optimal resolution:
	1440 x 900 at 60 Hz
	Contrast Ratio:
	1000: 1 (typical)
	2 Million:1 (Max) (Dynamic Contrast Ratio)
	Brightness:
	250 cd/m (typical)
	Response Time:
	5 ms (back to white)
	Max Viewing Angle:
	(160 degrees vertical / 170 degrees horizontal)
	Color Support:
	16.78M colors
	Pixel Pitch:
	0.248 mm
	Panel Backlight:
	LED
	Display Type:
	Widescreen Flat Panel Display
STAND	Height-adjustable stand, tilt, swivel and built in cable-management
	Flat Panel Mount Interface:
	VESA (100 mm)
SECURITY	Security lock slot (cable lock sold separately)
	Anti-theft stand lock slot (to panel)
	Environmental and Regulatory

ELECTRICAL	Voltage Required:
	100 to 240 VAC / 50 or 60 Hz +/- 3Hz / 1.5 A (Max)
	Operating (Typical - Maximum):
	17W (typical) / 42W (maximum)6
	Power Consumption Stand by / Sleep:
	Less than 0.3 W
COMPLIANCE AND STANDARDS	ENERGY STAR 5.1
	EPEAT Gold
	TCO Certified Displays
	Product Safety, EMC and Environmental Datasheets
	Dell Regulatory Compliance Home Page
CONNECTIVITY	1 Digital Visual Interface connectors (DVI-D) with HDCP
	1 Video Graphics Array (VGA)
	1 DisplayPort (version 1.2)
	1 USB 2.0 upstream port
	2 USB 2.0 downstream ports)
	DC power connector for Dell Soundbar (AX510 only)
BUILT-IN DEVICES	USB 2.0 Hi-Speed Hub (with 1 USB upstream port and 2 USB downstream ports)
	Audio DC-out
SIZE AND WEIGHT	Dimensions with stand (H x W x D):
	14.05" ~18.76" (356.9 mm ~ 476.4 mm) x 17.47" (443.8 mm) x 7.22" (183.3 mm)
	Dimensions without stand (H x W x D):
	11.45" (290.8 mm) x 17.47" (443.8 mm) x 2.30" (58.5 mm)
	Preset Display Area(H X V):
	408.24 mm x 255.20 mm
	16.08" x 10.05"
	Weight (panel only - for VESA mount):
	2.52 kg (5.54 lbs)
	Weight (with packaging):
	5.87 kg (12.91 lbs)

ENVIRONMENTAL	Temperature Range Operating:
	0 degrees to 40 degreesC (32 degrees to 104 degreesF)
	Temperature Range Non-operating:
	Storage : -20 degrees to 60 degrees (-4 degrees to 140 degrees F)
	Shipping : -20 degrees to 60 degrees (-4 degrees to 140 degrees F)
	Humidity Range Operating:
	10% to 80% (non-condensing)
	Humidity Range Non-operating:
	Storage : 5% to 90% (non-condensing)
	Shipping : 5% to 90% (non-condensing)
	Altitude Operating:
	3, 048 m (10, 000 ft) max
	Altitude Non-operating:
	10, 668m (35, 000 ft) max

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/PLE-P1913-Dell-Professional-P1913-48cm-19-LED-monitor-p-74449.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-15 21:27:44.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.