

## PRHP7PS99A

HP LaserJet Enterprise MFP M636FHZ 4-1 A4 mono Printer, Print, Copy, Scan, Fax, Duplex, ADF, LAN, USB

### Product Overview

HP 7PS99A LaserJet Enterprise MFP M636FHZ 4-1 A4 mono Printer, Print, Copy, Scan, Fax, Automatic duplex printing, Two-sided printing, 150-sheet ADF, Strong security, 8.0 in Colour Graphics Display (CGD) with Touchscreen, Up to 61 ppm print speed Black, Up to 300 000 pages duty cycle (Monthly A4), Up to 1200 x 1200 dpi print quality Black, 1.2 GHz Processor speed, HP ePrint, Apple AirPrint, Mopria Certified, Google Cloud print, 1x Hi-Speed device USB 2.0, 2x Host USB (1 walk-up and 1 external accessible), 1x Gigabit Ethernet 10/100/1000t Network, 1x Hardware integration pocket, 100 sheet multipurpose feeder, 550 sheet Input feeder, 150 sheet automatic Document feeder, 500 sheet output feeder, Flatbed /ADF Scanner Type, Up to 600 dpi scan Resolution Optical



### Specifications

#### Overview:

#### HP LaserJet Enterprise Flow MFP M635z(7PS99A)

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them - all while protecting your network from attacks with the industry's deepest security. Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future.

#### Features:

**The worlds most secure printing**

- With HP Sure Start, operating code is automatically checked at startup and repairs itself if compromised.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralise control of your printing environment with HP Web Jetadmin - and help build business efficiency.
- Give workgroups what they need to succeed. Easily choose and deploy hundreds of HP and third-party solutions.

**High-speed performance meets energy efficiency**

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This MFP wakes up fast and prints your first page faster - in as quickly as 8.1 seconds.
- This MFP uses low amounts of energy thanks to its innovative design and toner technology.
- Paper handling options include a wheeled stand and 550 sheet input feeder for paper sizes 10 x 15 cm ( 4 x 6 inch ) to legal.

**Performance and protection you can count on**

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.

**Give workgroups the speed they need**

- Help workgroups capture every page easily and detect potential errors or missed pages - every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and greyscale-optimised.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

**Specifications:**

© 2020 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

**Specifications**

|                                        |                                                                                                                                                                                                                                   |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Code</b>                    | PRHP7PS99A                                                                                                                                                                                                                        |
| <b>Functions</b>                       |                                                                                                                                                                                                                                   |
| <b>Functions</b>                       | Print, copy, scan, fax                                                                                                                                                                                                            |
| <b>Printing specifications</b>         |                                                                                                                                                                                                                                   |
| <b>Print speed black</b>               | Normal: Up to 61 ppm                                                                                                                                                                                                              |
| <b>First page out (ready)</b>          | Black: As fast as 5.2 sec                                                                                                                                                                                                         |
|                                        | (Measured using ISO/IEC 17629. For more information see                                                                                                                                                                           |
| <b>Duty cycle (monthly, A4)</b>        | Up to 300,000 pages                                                                                                                                                                                                               |
|                                        | (HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.) |
| <b>Recommended monthly page volume</b> | 5,000 to 30,000                                                                                                                                                                                                                   |
|                                        | (HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.) |
| <b>Print technology</b>                | Laser                                                                                                                                                                                                                             |
| <b>Print quality black (best)</b>      | Up to 1200 x 1200 dpi                                                                                                                                                                                                             |

## ComX Computers

### Product Specification Sheet

|                                      |                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Print Resolution Technologies</b> | Normal FastRes 1200, Fine Lines (1200 x 1200 dpi), Quickveiw (300 x 300 dpi), Economode (600 x 600 dpi)                                                                                                                                                                                                                                                                                                                       |
| <b>Print languages</b>               | HP PCL 6                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                      | HP PCL 5                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                      | HP postscript level 3 emulation                                                                                                                                                                                                                                                                                                                                                                                               |
|                                      | native PDF printing (v 1.7)                                                                                                                                                                                                                                                                                                                                                                                                   |
|                                      | Apple AirPrint                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Display</b>                       | 20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen                                                                                                                                                                                                                                                                                                                                                               |
|                                      | Rotating (adjustable angle) display                                                                                                                                                                                                                                                                                                                                                                                           |
|                                      | Illuminated Home button (for quick return to the Home menu)                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Processor speed</b>               | 1.2 GHz                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Automatic paper sensor</b>        | No                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Replacement cartridges</b>        | HP 147A Black Original LaserJet Toner Cartridge (10,500 pages) W1470A                                                                                                                                                                                                                                                                                                                                                         |
|                                      | HP 147X High Yield Black Original LaserJet Toner Cartridge (25,200 pages) W1470X                                                                                                                                                                                                                                                                                                                                              |
|                                      | HP 147Y Extra High Yield Black Original LaserJet Toner Cartridge (42,000 pages) W1470Y                                                                                                                                                                                                                                                                                                                                        |
|                                      | ( Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see                                                                                                                                                                                                                                                    |
|                                      | Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future.                                                                                                                                                                                                                      |
| <b>Connectivity</b>                  |                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Mobile printing capability</b>    | HP ePrint                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                                      | Apple AirPrint                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                      | Mopria Certified                                                                                                                                                                                                                                                                                                                                                                                                              |
|                                      | Google Cloud Print                                                                                                                                                                                                                                                                                                                                                                                                            |
|                                      | Roam optional                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                                      | (To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit                                                                                                                                                                                                            |
| <b>Wireless capability</b>           | Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A. Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A |
| <b>Connectivity, standard</b>        | 1 Hi-Speed Device USB 2.0                                                                                                                                                                                                                                                                                                                                                                                                     |
|                                      | 2 Host USB (1 walk-up and 1 external accessible)                                                                                                                                                                                                                                                                                                                                                                              |
|                                      | 1 Gigabit Ethernet 10/100/1000T network                                                                                                                                                                                                                                                                                                                                                                                       |
|                                      | 1 Hardware Integration Pocket                                                                                                                                                                                                                                                                                                                                                                                                 |
|                                      | 1 Fax                                                                                                                                                                                                                                                                                                                                                                                                                         |

## ComX Computers

### Product Specification Sheet

|                                         |                                                                                                                                 |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>Connectivity, optional</b>           | HP Jetdirect 2900nw Print Server J8031A                                                                                         |
|                                         | HP Jetdirect 3000w NFC/Wireless Accessory J8030A                                                                                |
|                                         | HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A                                                                            |
| <b>Minimum system requirements</b>      | 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see |
|                                         | 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see |
| <b>Compatible operating systems</b>     | Windows Client OS (32/64-bit): Win10, Win8.1, Win7 Ultimate                                                                     |
|                                         | Mobile OS - iOS, Android                                                                                                        |
|                                         | Mac - Apple macOS Sierra v10.13, Apple macOS High Sierra v10.14, Apple macOS Mojave v10.15                                      |
|                                         | Discrete PCL6 Printer Driver - for more information on the supported operating systems go to                                    |
|                                         | UPD PCL6 / PS Printer Drivers - for more information on the supported operating systems go to                                   |
|                                         | Supported Operating systems - for more information on the supported operating systems see                                       |
|                                         | Memory specifications                                                                                                           |
| <b>Memory</b>                           | 1.5 GB (printer), 1 GB (scanner)                                                                                                |
| <b>Internal Storage</b>                 | Standard, minimum 500 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)                          |
| <b>Paper handling</b>                   |                                                                                                                                 |
| <b>Paper handling input, standard</b>   | 100 sheet multipurpose feeder                                                                                                   |
|                                         | 550 sheet input feeder                                                                                                          |
|                                         | 150 sheet automatic document feeder                                                                                             |
| <b>Paper handling input, optional</b>   | Optional 1 x 550 sheet paper feeder                                                                                             |
|                                         | 1 x 550 sheet feeder with cabinet                                                                                               |
|                                         | 2000 sheet feeder high capacity input with 1 x 550 sheet paper feeder                                                           |
|                                         | optional 3 x 550 sheet feeder                                                                                                   |
|                                         | optional envelope feeder                                                                                                        |
| <b>Paper handling output, standard</b>  | 500 sheet output feeder                                                                                                         |
|                                         | two-sided printing                                                                                                              |
| <b>Maximum output capacity (sheets)</b> | Up to 500 sheets                                                                                                                |
| <b>Duplex printing</b>                  | Automatic (standard)                                                                                                            |

## ComX Computers

### Product Specification Sheet

|                                           |                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Media sizes supported</b>              | 100 sheet multipurpose Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), Postcard (JIS), Dpostcard (JIS), Envelope: B5, C5, C6, DL                                                                                                                                                  |
|                                           | 550 sheet input Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K (195 x 270), 16K (184 x 260), 16K (197 x 273)                                                                                                                                                                                                                                             |
|                                           | 550 sheet optional feeder: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), Postcard (JIS), Dpostcard (JIS)                                                                                                                                                                                |
|                                           | 2,000 sheet optional HCI: A4                                                                                                                                                                                                                                                                                                                                      |
|                                           | 75 sheet optional envelope feeder: B5, C5, C6, DL                                                                                                                                                                                                                                                                                                                 |
| <b>Media sizes, custom</b>                | 100 sheet multipurpose Tray 1: 76 x 127 to 216 to 356 mm                                                                                                                                                                                                                                                                                                          |
|                                           | 550 sheet input Tray 2: 99 x 148 to 216 x 297 mm                                                                                                                                                                                                                                                                                                                  |
|                                           | 550 sheet optional feeder: 99 x 148 to 216 x 356 mm                                                                                                                                                                                                                                                                                                               |
|                                           | 75 sheet envelope feeder: 90 x 148 to 178 x 254 mm                                                                                                                                                                                                                                                                                                                |
| <b>Media types</b>                        | Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, coloured, rough, heavy rough), monochrome transparency, labels, envelope, heavy envelope                                                                                                                                                                            |
| <b>Media weight, supported</b>            | Automatic Duplexer: 60 to 120 g/m <sup>2</sup>                                                                                                                                                                                                                                                                                                                    |
| <b>Media weights, supported ADF</b>       | 45 to 199 g/m <sup>2</sup>                                                                                                                                                                                                                                                                                                                                        |
| <b>Scanner specifications</b>             |                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Scanner type</b>                       | Flatbed, ADF                                                                                                                                                                                                                                                                                                                                                      |
| <b>Scan file format</b>                   | Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR), Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR) |
| <b>Scan resolution, optical</b>           | Up to 600 dpi                                                                                                                                                                                                                                                                                                                                                     |
| <b>Scan size, maximum</b>                 | 216 x 356 mm                                                                                                                                                                                                                                                                                                                                                      |
| <b>Scan size (ADF), maximum</b>           | 216 x 864 mm                                                                                                                                                                                                                                                                                                                                                      |
| <b>Scan size (ADF), minimum</b>           | 68 x 147 mm                                                                                                                                                                                                                                                                                                                                                       |
| <b>Scan speed (normal, A4)</b>            | Up to 83 ppm (black and white), up to 83 ppm (colour)                                                                                                                                                                                                                                                                                                             |
|                                           | (Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.)                                                                                                                                                                                              |
| <b>Recommended monthly scan volume</b>    | 26,750 to 44,600                                                                                                                                                                                                                                                                                                                                                  |
|                                           | (HP recommends that the number of scanned pages per month be within the stated range for optimum device performance)                                                                                                                                                                                                                                              |
| <b>Duplex ADF scanning</b>                | Yes, single pass duplexing ADF                                                                                                                                                                                                                                                                                                                                    |
| <b>Automatic document feeder capacity</b> | Standard, 150 sheets                                                                                                                                                                                                                                                                                                                                              |
| <b>Digital sending standard features</b>  | Scan to E-mail, Save-to-Network Folder, Save-to-USB drive, Send to SharePoint, Send to FTP, Send to LAN Fax, Send to Internet Fax, Local Address Book, SMTP over SSL, Blank Page Removal, Edge Erase, Auto Colour Sense, Auto Crop To Content, Compact PDF, Auto ToneScale, Auto Orientation, Multi-Pick Detect, Auto Straighten, Auto Crop To Page, OCR          |

## ComX Computers

### Product Specification Sheet

|                                           |                                                                                                                                                   |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| File Format Supported                     | PDF                                                                                                                                               |
|                                           | JPEG                                                                                                                                              |
|                                           | TIFF                                                                                                                                              |
|                                           | MTIFF                                                                                                                                             |
|                                           | XPS                                                                                                                                               |
|                                           | PDF/A                                                                                                                                             |
|                                           | TEXT (OCR)                                                                                                                                        |
|                                           | Unicode TEXT (OCR)                                                                                                                                |
|                                           | RTF (OCR)                                                                                                                                         |
|                                           | Searchable PDF (OCR)                                                                                                                              |
|                                           | Searchable PDF/A (OCR)                                                                                                                            |
|                                           | HTML (OCR)                                                                                                                                        |
|                                           | CSV (OCR)                                                                                                                                         |
| Scan input modes                          | Front panel applications: Copy                                                                                                                    |
|                                           | E-mail                                                                                                                                            |
|                                           | Save to Network Folder                                                                                                                            |
|                                           | Save to USB                                                                                                                                       |
|                                           | Save to Device Memory                                                                                                                             |
|                                           | Save to SharePoint                                                                                                                                |
|                                           | Open Extensibility Platform (OXF) applications                                                                                                    |
|                                           | HP Scan or user application via TWAIN                                                                                                             |
| Copier specifications                     |                                                                                                                                                   |
| Copy speed (normal)                       | Black: Up to 61 cpm                                                                                                                               |
| Copy resolution (black text)              | Up to 600 x 600 dpi                                                                                                                               |
| Copy resolution (color text and graphics) | Up to 600 x 600 dpi                                                                                                                               |
| Copy reduce / enlarge settings            | 25 to 400%                                                                                                                                        |
| Copies, maximum                           | Up to 9999 copies                                                                                                                                 |
| Fax specifications                        |                                                                                                                                                   |
| Faxing                                    | Yes                                                                                                                                               |
| Fax transmission speed                    | 33.6 kbps                                                                                                                                         |
|                                           | (Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.) |
| Fax memory                                | Up to 500 pages                                                                                                                                   |
| Fax Resolution Black (best)               | Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)                                                                                       |
| Fax Speed Dials, Maximum Number           | Up to 1000 numbers                                                                                                                                |
| Fax Broadcast Locations                   | 0                                                                                                                                                 |

## ComX Computers

### Product Specification Sheet

| Power and operating requirements                         |                                                                                                                                                                            |
|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Power                                                    | 220V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A                                                                                                            |
| Power consumption                                        | 740 watts (printing/copying), 29.0 watts (ready), 3.3 watts (sleep)                                                                                                        |
| Energy efficiency                                        | ENERGY STAR qualified                                                                                                                                                      |
|                                                          | CECP                                                                                                                                                                       |
|                                                          | EPEAT Silver                                                                                                                                                               |
|                                                          | EPEAT Gold (Options AAZ                                                                                                                                                    |
|                                                          | 201)                                                                                                                                                                       |
| Blue Angel compliant                                     | Yes, Blue Angel DE-UZ 205-only ensured when using Original HP supplies                                                                                                     |
| Operating temperature range                              | 10 to 32.5 degreesC                                                                                                                                                        |
| Recommended operating humidity range                     | 30 to 70% RH                                                                                                                                                               |
| Acoustic power emissions (ready)                         | Inaudible                                                                                                                                                                  |
|                                                          | (Acoustic values are subject to change. For current information see                                                                                                        |
| Acoustic pressure emissions bystander (active, printing) | 54 dB(A)                                                                                                                                                                   |
|                                                          | (Acoustic values are subject to change. For current information see                                                                                                        |
| Dimensions and weight                                    |                                                                                                                                                                            |
| Minimum dimensions (W x D x H)                           | 661 x 658 x 1234 mm                                                                                                                                                        |
| Maximum dimensions (W x D x H)                           | 1030 x 890 x 1500 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)                                             |
| Weight                                                   | 64.3 kg                                                                                                                                                                    |
|                                                          | (With print cartridges)                                                                                                                                                    |
| Package weight                                           | 90.8 kg                                                                                                                                                                    |
| What's included                                          |                                                                                                                                                                            |
| What's in the box                                        | HP LaserJet Enterprise Flow MFP M635z printer                                                                                                                              |
|                                                          | HP Black Original LaserJet Toner Cartridge (10,500 yield), Documentation (Hardware Install Guide, Regulatory Flyer)                                                        |
|                                                          | Power cord.                                                                                                                                                                |
|                                                          | (Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see  |
| Cable included                                           | No, please purchase USB and Fax cable separately                                                                                                                           |
| Replacement cartridges                                   | HP 147A Black Original LaserJet Toner Cartridge (10,500 pages) W1470A                                                                                                      |
|                                                          | HP 147X High Yield Black Original LaserJet Toner Cartridge (25,200 pages) W1470X                                                                                           |
|                                                          | HP 147Y Extra High Yield Black Original LaserJet Toner Cartridge (42,000 pages) W1470Y                                                                                     |
|                                                          | ( Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see |
|                                                          | ( Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see |
| Software included                                        | No software solutions are included in the box, only on                                                                                                                     |

## Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

**Product page:**

<https://www.comx-computers.co.za/PRHP7PS99A-HP-LaserJet-Enterprise-MFP-M636FHZ-4-1-A4-Buy-p-248286.php>

---

*Images and specifications are provided for reference and are subject to change without notice. E&OE.*

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

---

PDF generated: 2026-10-12 05:50:41.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.