ComX Computers
Product Specification Sheet

PROK01193301

OKI C9850HDN Colour laser Printer

Product Overview

OKI C9850HDN Colour laser Printer 36/40ppm, 1GHz, 1GB, ProQ4800, PCL/PS3, 530+230 sheets, Par, USB, Network, Duplex, 40GB HDD, 150k duty



Specifications

Overview:

When printing is all important, the C9850 will prove supreme. It provides high volume, high quality colour and mono print with little effort from users. The built in EFI Fiery® System 8e controller also makes it exceptionally good value for money. This advanced feature adds extra print control to assist print management and simplify the production of more complex documents. With EFI Fiery® System 8e and the outstanding technology of OKI Printing Solutions, users can look forward to enjoying excellent output coupled with top of the range print control capability - at a competitive price.

Features:

- Create consistent high quality colour documents
- Outstanding media handling for creating professional output
- Intuitive controls. Easy to operate
- Keep control of costs
- Effortlessly handles the daily workflow and diverse print media

Specifications:

Configurations Available	
Model	C9850hdn - Networked, duplex and Hard Disk Drive; C9850htdn - Networked, duplex, Hard Disk Drive and High Capacity Feeder
Connectivity and Compatibility	
Emulation(s)	PCL5c, PCL XL (Colour), Adobe PostScript 3 with direct PDF Printing (v1.7)

OS Compatibility	Windows 2000 Professional (SP4 or later SP) / 2000 Server (SP4 or later SP) / 2000 Advanced Server (SP4 or later SP) / XP Professional / XP Home / Server 2003
	Standard Edition / Server 2003 Enterprise Edition / Server 2003 Datacenter Edition / XP Professional x64 / Server 2003 x64 (SP1) / Vista (32-bit) / Vista (64-bit); Mac OS X PowerPC 10.3.9 - 10.5 / OS X Intel 10.4.4 - 10.5
Standard interface(s)	Hi-Speed USB 2.0, 10Base-T/100Base-TX/1000Base-T Ethernet
Sharing	10Base-T/100Base-TX/1000Base-T Ethernet Card with internal Web Server for printer and network card set-up and management.
	Includes POP3/APOP and SMTP Mail client for submission of print jobs and for alerts. All major network protocols supported - TCP/IP, Netware and Appletalk. TCP/IP :-ARP, IP, ICMP, TCP, UDP, LPR, FTP, HTTP(IPP), BOOTP, DHCP, SNMP, DNS, JetDirect protocols.
	Netware 6.5:- iPrint, NDPS supported via dedicated OKI NDPS Gateway. AppleTalk:- ELAP, AARP, DDP, AEP, NBP, ZIP, RTMP, ATP, PAP.
Consumables	
EP-cartridge	30, 000 pages
Other consumables	Transfer belt: 100, 000; Fuser unti: 100, 000; Waster toner box: 30, 000
Toner cartridge	15, 000 pages
Other Specifications	
Voltage requirements	Single phase 220-240VAC
Weight	C9850hdn - Approx. 77.4kg; C9850hdtn - Approx. 129kg
Noise	Operating: 54dB(A) or less, Standby: 42dB(A) or less, Power save: 28dB(A) after 30 mins (background level)
Warranty	Pan European 1 year on-site
Operating conditions	10 degreesC to 32 degreesC (17 degreesC to 27 degreesC recommended)
Dimensions(WxDxH)	C9850hdn - 471 x 654.5 x 633mm; C9850hdtn - 785.5 x 654.5 x 633mm
Frequency	50Hz +/- 2Hz
Humidity	20% to 80% RH (50% to 70% RH recommended)
Paper Handling	
Paper types	Tray 1/2/3: A6, A5, A4, A3, A3+; Multi-purpose tray: A6, A5, A4, A3, A3+; Duplex: A6, A5, A4, A3, A3+
Paper output	500 sheets face down, 200 sheets face up
Duplex printing	Standard
Standard paper input	C9850hdn - 530 sheets of 80gsm; C9850hdtn - 2120 sheets of 80gsm
Optional paper input	2nd/3rd paper tray: 530 sheets each; High Capacity Feeder: 3 x 530 sheets
Manual feeder	230 sheets of 80gsm
Custom paper size	Tray 1/2/3: Width 105 x 328mm Length 148 x 457mm; Multi-purpose tray: Width 76 x 127mm Length 328 x 1, 200mm
Weight	Tray 1/2/3: 64 to 216gsm; Multi-purpose tray: 64 to 300gsm; Duplex: 64 to 188gsm
Performance	
Time to first page	10.5 seconds colour, 9 seconds mono

Duty cycle(max.pages/month)	150, 000 pages/month
Resolution	ProQ4800 multi-level technology, 1200 x 1200dpi
Memory - standard/max	1024MB
Fonts	86 scalable PCL fonts, 1 bitmap font, 10 Truetype fonts, 136 Adobe PostScript Type 1 fonts, OCR A/B, USPS Barcode
Print speed colour A3	19ppm
Print speed colour A4	36ppm
Print speed mono A3	21ppm
Print speed mono A4	40ppm
The OKI Advantage	
Technology	Digital LED print technology

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/PROK01193301-OKI-C9850HDN-Colour-laser-Printer-p-64366.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-19 14:18:23.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.