

PT D600

Brother PT D600 P-Touch D600 Desktop / Windows 7 line printer for 6-24mm tape, USB, QWERTY Keyboard

Product Overview

Brother PT D600 P-Touch D600 Desktop / Windows 7 line printer, USB, 7 lines, 6-24mm tape, USB 2.0 connectivity, Prints 6 / 9 / 12 / 18 / 24mm TZe laminated tapes, 20 Character 3 line display, P-Touch Editor 5.1 included, Most image formats supported, 617 Symbols / 99 Frames, 9 Barcodes supported, Fast print speed of 30mm/sec, Automatic cutter, QWERTY keyboard, 25 - 1000mm label length, Max 7 line printing



Specifications

Overview:

PT-D600 Professional PC labelling machine

MAKE THE WORKPLACE MORE EFFICIENT

The PT-D600 is ideal for clear and durable workplace labelling up to 24 mm wide. It is perfect for organisation of workspaces, clear identification of equipment, assets and filing, as well as creation of basic instructional or warning notices.

The compact and sleek new design ensures that it fits at any office workstation. It has a multitude of great benefits that help make the workplace more efficient and eliminate those little irritations that have staff tearing their hair out.

Connect to your PC or Mac and be creative by using various fonts, text styles, images and frames on your label design. You can even link to text contained in a Microsoft Excel spreadsheet to quickly print many labels at once, thanks to its high-speed print capabilities.

This high specification labeller is the ideal partner in your office to help you and your colleagues stay organised.

Features:

- USB 2.0 connectivity
- Prints 6, 9, 12, 18, 24mm TZe laminated tapes
- 20 Character, 3 line display
- P-Touch Editor 5.1 included
- Most image formats supported
- 617 Symbols / 99 Frames
- 9 Barcodes supported
- Fast print speed of 30mm/sec
- Automatic cutter
- QWERTY keyboard

ComX Computers

Product Specification Sheet

- 25 - 1000mm label length
- Max 7 line printing
- Ships with 24mm Black on white tape (4m), USB cable and AC adapter

Specifications:

© 2017 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	PT D600
--------------	---------

Features

Interface	USB 2.0
Display	20 Characters / 3 Line colour LCD
Power	AC Adapter (supplied) / 6xAA Batteries
Print Speed	30mm / sec
Print Resolution	180 x 360 dpi
Maximum Print Height	18mm
Tape Widths	6, 9, 12, 18, 24mm
Cutter Type	Automatic Full Cutter
Keyboard Type	QWERTY
Label Length	25 - 1000mm

Label Creation using P-touch editor or Embedded

Fonts - PTE / Embedded	PTE / 14
Font Styles	12
Font Size	6 - 48 pt
Symbols	617
Frames	99
Templates	30
Label Memory	99 Locations, Max 2,800 characters
Image Support	JPG, BMP, TIF, PNG, GIF, DIB, WMF, EMF, ICO
Multiple Line Printing	Max 7 Lines
Vertical Text Printing	Yes
Mirror Printing	No
Max Text Blocks	5
Copy Printing	PTE, 1 - 99
Sequential Numbering	Yes, 1 - 9
Print Preview	Yes
Barcodes	9

ComX Computers

Product Specification Sheet

Languages	8
Supplies	
Tapes	TZe / Speciality Tapes
Tape Sizes	TZe 6, 9, 12, 18, 24mm
Operating Systems	
Supported	Windows and Mac
Cable Labelling Wizard	Yes
General	
Carton Contents	PT-D600 Labelling Machine
	AC Adapter
	24mm Black on white Tape (4m)
	USB Cable
	Quick Set Up Guide

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/PT-D600-Brother-PT-D600-P-Touch-D600-Desktop-Windows-Buy-p-162680.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-14 05:11:26.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.