ComX Computers
Product Specification Sheet


RB-CRS326Q

MikroTik Cloud Router Switch 24x SFP+ Ports & 2x QSFP+ Ports

Product Overview

MikroTik Cloud Router Switch 24x SFP+ ports & 2x QSFP+ ports, CRS326-24S + 2q + rm, 650 MHz CPU, RouterOS L5, SwitchOS, 64 MB RAM, 16 MB storage size, 2 AC inputs





Specifications

Overview:

CRS326-24S+2Q+RM

Our fastest switch for the most demanding setups

If you are working with substantial amount of data - like providing Internet access or maintaining a huge data center - this is the perfect upgrade for your setup. CRS326-24S+2Q+RM is our first product with 40 Gbps QSFP+ ports for remarkably fast and stable fiber connection.

Overall it has two 40 Gbps QSFP+ ports and twenty four 10 Gbps SFP+ ports, which provides total nonblocking throughput of 320 Gbps and switching capacity of 640 Gbps with forwarding rate of 252 Mpps with most common packets.

CRS326-24S+2Q+RM is easy to manage - it has a full size USB port for configuration and dual power supply for redundancy - no unexpected downtime, your clients and colleagues will be thankful!

You can choose between our legendary feature-packed RouterOS for booting or a simpler, but still powerful SwOS. If you would like the ability to use routing and other Layer 3 features in your CRS, use RouterOS

Specifications:

© 2019 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	RB-CRS326Q
Specifications	
Product code	CRS326-24S+2Q+RM
Architecture	MIPSBE
CPU	QCA9531

CPU core count	1
CPU nominal frequency	650 MHz
Dimensions	443 x 183 x 44 mm
License level	5
Operating System	RouterOS or SwitchOS
Size of RAM	64 MB
Storage size	16 MB
Storage type	FLASH
Tested ambient temperature	-20 degreesC to 60 degreesC
Powering	
Number of AC inputs	2
AC input range	100-240
Max power consumption	69 W
Max power consumption without attachments	42 W
Ethernet	
10/100 Ethernet ports	1
Fiber	
SFP+ ports	24
Number of 40G QSFP+ ports	2
Peripherals	
Serial port	RJ45
Number of USB ports	1
USB Power Reset	Yes
USB slot type	USB type A
Max USB current (A)	1

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/RB-CRS326Q-MikroTik-Cloud-Router-Switch-24x-SFP-Ports-2x-QSFP-Ports-p-228459.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-07 04:50:07.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken

to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.