ComX Computers
Product Specification Sheet

RCT-3000VAS

RCT 3000VAS line-interactive UPS 3000VA / 1800W with 2x SA plugs

Product Overview

RCT RCT-3000VAS 3000VAS line-interactive UPS 3000VA / 1800W with 2x SA plugs, Typical 2-6 ms transfer time, Simulated sinewave, 1 x RJ-45 surge protection, 1 x USB Port, 12 V / 9Ah x 4 batteries



Specifications

Specifications:

© 2021 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	RCT-3000VAS
MODEL	3000VA / 1800W Capacity
INPUT	VOLTAGE RANGE:
	85-145 VAC or 170-280 VAC
	FREQUENCY RANGE:
	60/50 HZ (Auto Sensing)

OUTPUT	OUTPUT VOLTAGE:
	220/230/240 VAC
	AC VOLTAGE REGULATION (Batt. Mode)
	FREQUENCY RANGE:
	+/-10%
	FREQUENCY RANGE (Batt. Mode):
	60 Hz or 50 Hz +/-1 Hz
	TRANSFER TIME:
	Typical 2-6 ms
	WAVEFORM (Batt. Mode):
	Simulated Sinewave
PORTS	2 x SA PLUGS
	4 x Output Receptacles
	1 x Circle Breaker
	1 x AC Input
	1 x RJ-45 Surge Protection
	1 x USB Port
BATTERY	BATTERY TYPE & NUMBER:
	12 V/9Ah x 4
	TYPICAL RECHARGE TIME:
	6 Hours Recover to 90% Capacity
ALARM	BATTERY MODE:
	Sounding Every 10 Seconds
	LOW BATTERY:
	Sounding Every 10 Seconds
	OVERLOAD:
	Sounding Every 0.5 Seconds
	FAULT:
	Continuously Sounding
INDICATORS	AC MODE:
	Green Lighting
	BATTERY MODE:
	Green Flashing
	FAULT:
	Red Lighting
FULL PROTECTION	Overload, Discharge, Overcharge Protection

ENVIRONMENT	Humidity: 0-90 % RH @ 0- 40 degreesC (non-condensing)
	Noise Level: Less than 40dB
APPROXIMATE RUNTIME	30W : 7 HOURS & 30 MINUTES
	50W : 5 HOURS
	100W : 2 HOURS & 30 MINUTES
	150W : 1 HOUR 30 MINUTES
	200W : 1 HOUR 10 MINUTES
What's in the box	1 X UPS

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/RCT-3000VAS-RCT-3000VAS-line-interactive-UPS-3000VA-1800W-with-2x-SA-plugs-p-254506.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-11 12:23:31.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.