ComX Computers
Product Specification Sheet

RCT-650VAS

RCT 650VA 360W Line Interactive UPS

Product Overview

RCT 650VA Line Interactive UPS - 360 W, LED display, 1 x USB Port with SA Wall Socket



Specifications

Features:

Rct-650va

- Fast charging in 4 hours
- built-in excellent microprocessor controller
- boost and buck avr for voltage stabilization
- free monitoring software download

Model - rct-650va
Capacity - 650 va / 360 w

Input

- Voltage - 110/120 vac or 220/230/240 vac
- Voltage range - 81-145 vac / 162-290 vac
- Frequency range - 60/50 hz (auto sensing)

Output

- Output voltage - 110/120 vac or 220/230/240 vac
- Ac voltage regulation (batt. Mode) - %
- Frequency range (batt. Mode) - 60 hz or 50 hz hz
- Transfer time - typical 2-6 ms, 10ms max.
- Waveform (batt. Mode) - simulated sinewave

Battery

- Battery type & number - 12 v/7 ah x 1
- Typical recharge time - 4-6 hours recover to 90% capacity

Protection

Full protection - overload, discharge, and overcharge protection

Indicators

- Ac mode - green lighting
- Battery mode - yellow flashing
- Fault - red lighting

Alarm

- Battery mode - sounding every 10 seconds
- Low battery - sounding every second
- Overload - sounding every 0.5 second
- Battery replacement alarm - every 2 seconds
- Fault - continuously sounding

Physical

- Dimension, d x w x h (mm) - 287 x 100 x 142
- Net weight (kgs) - 4.25

Management

- Usb port -
- Supports windows2000/2003/xp/vista/2008, windows 7, linux, unix, and mac

Specifications:

© 2014 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	RCT-650VAS
Technology Type	Line Interactive
Power Rating	650 VA
Maximum Load	360 watts
Output Voltage (max)	240 Volts
Backup Power	
Physical Dimensions	
Height	142 mm
Width	100 mm
Depth	287 mm
Weight	4 kg

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/RCT-650VAS-RCT-650VA-360W-Line-Interactive-UPS-p-86869.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-08 04:18:10.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.