ComX Computers
Product Specification Sheet

RG-EG1510XS

Reyee 8 Port Multi Gigabit 2SFP+ Multi-WAN Cloud Router


Product Overview


Reyee 8 Port Multi Gigabit 2SFP+ Multi-WAN Cloud Router, RG-EG1510XS, 1500 recommended concurrent clients, 2.5" Hard Disk Drive bay storage, Rack-mounted, 1x 2.5G WAN Port, 1x Gigabit fixed LAN Port, 3x Gigabit LAN/WAN switchable Ports, 3x 2.5G LAN/WAN switchable Ports, 2x 10G/1G Base-X SFP, 4 Gbps Throughput











Specifications

Overview:

The Powerful EG go BIG, Next Level Flagship Business Router For Up To 1500 Clients

Star Hotel, HQ with Multi-Branches, Staff Accomodation, Factory, Higher education etc.

RG-EG1510XS

- Supreme Capacity Up to 1500 concurrent Clients
- The Brillant Brain of Network Management
- Freely Open to Third-Party Authentication Integration
- Easy Intranet Connection
- Terminal Recognition for Easy Management & Bandwidth Management
- Easy VPN Configuration
- 2.5" SATA HDD Extension Bay for Local Syslog Storage
- Cloud, Make Your Business Easy

Features:

The Powerful EG go BIG

- Next Level Flagship Business Router For Up To 1500 Clients
- 1500 Concurrent Clients
- 1000 VPN Tunnels
- 4 Gbps Throughput
- 4~5 Months Syslog Storage

The Brilliant Brain of Network

Link up all Reyee devices intelligently in one click and make management in unity.

Easy Intranet Connection

The management concole uniformly display all third-party devices that enabled easy intranet connection and link to its web interface by one click.

Freely Open to Third Party Authentication Integration

Open API, Freely Third Party Authentication Integration

Terminal Recognition & Flow Control (QoS)

Accurately identify the third party device parameters, quickly locate high-load users and tuning network.

Easy VPN Configuration

Three steps to configure VPN easily and stably.

Cloud, Make Your Business Easy

- Self-organization network
- Scenario-based configuration guide
- Marketing portal authentication
- Quickly advanced service setup by APP
- Cloud APP maintenance remotely

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	RG-EG1510XS
Fixed WAN Port(s)	1 x 10/100/1000/2500 Base-T
Fixed LAN Port(s)	1 x 10/100/1000 Base-T
LAN/WAN Switchable Port(s)	3 x 10/100/1000 Base-T
	3 x 10/100/1000/2500 Base-T
	2x10G/1G Base-X SFP
	(LAN7/WAN8 port is compatible to 2.5G)
Throughput	4 Gbps (1518 Byte, NAT+Flow Audit)
	3 Gbps (1518 Byte, NAT+Authentication, Application Identification, Flow Audit and Flow Control)
Recommended Concurrent Clients	1500
CPU	4 Cores, 1.8 GHz
SDRAM/RAM	4 GB
Flash Memory	128 MB NAND FLASH + 8 GB EMMC
Storage	2.5" HDD bay
Dimensions(W x D x H)	440 mm x 210 mm x 43.6 mm (17.32 in. x 8.27 in. x 1.72 in.)
Weight	3 kg (packages not included)
Installation	Rack-mounted
Detailed Specifications	
Item	RG-EG1510XS
Network Interface	4 x 1G Base-T, 4 x 2.5G Base-T, 2 x 10G Base-X SFP+
Max. WAN Ports	3 x 1G Base-T, 4 x 2.5G Base-T, 2 x 10G Base-X SFP+
RAM	4 GB
Storage	128 MB NAND FLASH + 8 GB EMMC
Recommended Bandwidth	4 Gbps (1518 Byte, NAT+Flow Audit)
Recommended Concurrent Users	1500
PoE Out	N/A
Installation	1U Rack-mounted
Power Supply	100V~240V AC, 50/60Hz
Max. VLAN Qty.	128
Application Based Speed Limit	Yes
Key Application Priority	Yes
User Group Based Speed Limit	Yes
Key User Priority	Yes
Load Balancing	Yes
Behavior Control	Yes
Basic Firewall	Yes

VPN	PPTP, L2TP, IPsec, OpenVPN
Max VPN Account Quantity	1500
Max IPSec Active Tunnels	1000
Max PPTP Active Tunnels	1000
Max L2TP Active Tunnels	1000
Max L2TP Over IPSec Active Tunnels	1000
Max OpenVPN Active Tunnels	1000
VPN Throughput of OpenVPN	400 Mbps
VPN Throughput of IPSec	900 Mbps
VPN Throughput of PPTP&L2TP	1.4 Gbps
Captive Portal Authentication	Yes
Multiple LAN Network via VLAN	Yes
PPPoE Authentication Server	Yes
Max PPPoE Client Account	1500
Max PPPoE Active Client	1000
App Identification	Yes
Intelligent Traffic Control	Yes
Ruijie Free DDNS	Yes
{([])([])}	

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/RG-EG1510XS-Reyee-8-Port-Multi-Gigabit-2SFP-Multi-WAN-Cloud-Router-p-303195.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-08 15:43:59.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.