

RG-ES210GS-P

Reyee 10 Port Gigabit Smart Cloud Managed PoE Switch

Product Overview

Reyee 10 Port Gigabit Smart Cloud Managed PoE Switch, RG-ES210GS-P, 8 Gigabit Ports, 1x Combo Gigabit SFP Port, 8x PoE Ports, 120W Maximum PoE budget, 20 Gbps switching capacity



Specifications

Overview:

RG-ES210GS-P, 10-Port Gigabit Smart Cloud Managed PoE Switch

Enterprise, Hospitality, Factory, Education, Retails, Surveillance, etc.

- 10-Port gigabit cloud managed switch with 8 PoE+ ports, 1 Combo Port
- Cost-Effective Smart Cloud Managed Switches
- IP Camera Recognition, Unique Value for CCTV Network
- Automatic Loop Prevention Ensures Service Continuity
- Lifetime management on Ruijie Cloud at anytime anywhere

Features:

RG-ES210GS-P 10-Port Gigabit Smart Cloud Managed PoE Switch

- 802.3at / 802.3af
- Abundant Application Scenarios
- Fanless, Quiet and Compact

Cloud, Make Your Business Easy

- SON, zero touch provisioning to Cloud
- Configure VLANs on Ruijie Cloud APP
- Monitor switch statistics at anytime anywhere

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	RG-ES210GS-P
Item	RG-ES210GS-P
10/100/1000Base-T ports	8
1000Base-X SFP ports	1 combo SFP
PoE ports	8
Max. PoE budget	120W
Switching capacity	20 Gbps
Forwarding rate	14.8 Mpps
MAC address table	4000
VLAN	16
Dimensions (W x D x H)	202 mm x 108 mm x 28 mm
Weight (With package)	1.38 kg
Loop prevention	Yes
Flow control	Yes
Port isolation	Yes
Broadcast storm suppression	Yes

ComX Computers

Product Specification Sheet

Cloud management	Yes
Power consumption	<= 130W
Power supply	54V DC adapter, 2.4A
Fan	No
Port surge	6 kV
Operating temperature	0 degreesC to 40 degreesC
Operating humidity	10% to 90% RH
MTBF	> 200,000

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/RG-ES210GS-P-Reyee-10-Port-Gigabit-Smart-Cloud-Managed-Buy-p-299477.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-11 06:31:39.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.