ComX Computers
Product Specification Sheet

SE2416H

Dell SE2416H Series 23.8" Widescreen Flat Panel LED Backlit Display

Product Overview

Dell SE2416H Series 23.8" Widescreen Flat Panel LED Backlit Display - Full HD 1920 x 1080 at 60 Hz, Aspect ratio 16:9 HD Format, 6 ms (Grey to Grey) Response time, Maximum Viewing Angles - Horizontal: 178 Degrees / Vertical: 178 Degrees, 1000:1 Typical Contrast Ratio, Brightness Typical: 250 cd/m2, Antiglare with Hard-Coating 3H, D-SUB and HDMI Connectivity - Black



Specifications

Features:

Clean, sleek design

- Added elegance: Glossy, thin bezels, a classic black piano finish, and an aluminum painted riser create an elegant, modern design perfect for any home environment.
- Easy access: Easy access buttons on the bottom bezel offer a hassle-free image adjustment.
- Sturdy stand: Easily tilt your monitor to your preferred viewing angle with the robust stand.

Vivid viewing

- Maximum viewing area: Get the most out of your 23.8-inch (54.6cm) viewing area with improved thin bezels.
- Impressive screen performance: Experience rich, accurate and consistent colors such as bright reds and deep blacks across a 178 degrees ultrawide viewing angle in Full HD 1920 x 1080 display.
- Superb clarity: Minimize reflections with a sleek, remarkably clear screen.

Specifications:

© 2019 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	SE2416H
Display	

Diagonally Viewable Size	60.5 cm
	23.8 Inches (23.8-inch wide viewable image size)
Aspect Ratio	Widescreen (16:9)
Panel Type, Surface	In-plane switching, anti glare with hard coat 3H
Optimal resolution	1920 x 1080 at 60Hz
Active Display Area (H x V)	20.75" x 11.67" (527.04 mm x 296.46 mm)
Contrast Ratio	1000: 1 (typical), Dynamic Contrast Ratio : 8 Million :1
Brightness	250 cd/m2 (typical)
Response Time	6ms (gray to gray)
Viewing Angle	178 degrees vertical / 178 degrees horizontal
Adjustability	Tilt
Color Support	Color Gamut (typical): 84% (CIE1976). 72% (CIE 1931)3
	16.7 Million colors
Pixel Pitch	0.2745 mm
Backlight Technology	LED
Display Type	Widescreen Flat Panel Display
Display Screen Coating	Antiglare with hard-coating 3H
Audio Output	NA
Features	
Security	Security lock slot (cable lock sold separately)
Flat Panel Mount Interface	NA
Built-in Devices	NA
Electrical	
Voltage Required	100 to 240 VAC / 50 or 60 Hz +/- 3Hz / 1.5 A (typical)
Power Consumption (Operational)	20W (Energy Star)
	20W (typical) - 25W (maximum)4
Power Consumption Stand by / Sleep	Less than 0.3W
Environmental	
Temperature Range Operating	0 degrees to 40 degreesC (32 degrees to 104 degreesF)
Temperature Range Non-operating	Storage : -20 degrees to 60 degrees (-4 degrees to 140 degrees F)
	Shipping : -20 degrees to 60 degrees (-4 degrees to 140 degrees F)
Humidity Range Operating	10% to 80% (non-condensing)
Humidity Range Non-operating	Storage : 5% to 90% (non-condensing)
	Shipping : 5% to 90% (non-condensing)
Altitude Operating	5,000 m (16, 400 ft) max
Altitude Non-operating	12,192 m (40, 000 ft) max

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/SE2416H-Dell-SE2416H-Series-23-8-Widescreen-Flat-Panel-LED-Backlit-Display-p-235832.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-10 02:29:44.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.