

SNOM-D150

snom D150 4-line Desktop SIP phone

Product Overview

snom D150 4-line Desktop SIP phone, 2.8" 320x240 Pixel TFT LCD Display, 36 hard Keys in total, 5-way navigation key, 8 dedicated Function Keys, 2x Gigabit Ethernet Ports, RJ9 Headset Port



Specifications

Overview:

For more comfort in your daily work

Finished in slate grey and with an uncluttered design, the

Snom D150

fits perfectly into any work environment where phone communication is paramount. It combines the latest technology and the best voice quality at an unbeatable price. The D150 feels at home wherever efficiency and optimum costs are required. The highly visible, backlit LED display makes it easy to monitor information on calls and features. The Snom D150 is equipped with a gigabit switch with PoE support and an RJ9 headset port.

360 degrees notification indicator

The Indicator lamp shows from any point in the room if you have missed a call, for example.

2,8" TFT LCD - Grayscale Display

The Snom D150 is equipped with a high resolution 2.8" TFT LCD - grayscale display, which ensures an optimal display at any

time.

Function keys

4 context sensitive function keys + 2 freely programmable SmartLabel keys

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	SNOM-D150
Basics	Product information
	IP desk phone D140, slate gray, PN4652
	Operating system: Linux
	Placement: indoor, desktop, wall mounting
Dimensions and weight	Dimensions (L x W x H, approx.) without footstand
	205 mm x 185 mm x 40 mm
	Dimensions (H x W x D, approx.) with footstand
	205 mm x 185 mm x 220 mm (high angle 46 degrees)
	205 mm x 185 mm x 200 mm (low angle 28 degrees)
	Weight (approx.):
	710 without footstand
	830 with footstand
Display and indicators	Display
	TFT liquid crystal display (LCD): graphical, grayscale, backlit
	Size (diagonal): 2.8" (67 mm)
	Size (W x H): 59 mm x 33 mm
	Resolution: 320 x 240 pixel
	3 LED indicators
	Call status indication: 1 red LED
	Function key status indication: 2 multicolour
	LEDs

Keypad and function keys	36 hard keys in total
	12 keys (standard ITU telephone keypad)
	4 context-sensitive function keys
	5-way navigation key
	2 SmartLabel keys (with multicolour LED)
	5 dedicated audio keys
	Mute
	Speakerphone
	Headset
	Volume + / - (rocker)
	8 dedicated function keys
	Ok
	Cancel
	DND
	Message (with red LED)
	Directory
	Menu
	Transfer
	Hold
	Keyboard lock
Audio devices, codecs and features	Casing microphone, Casing speaker
	Speakerphone mode: Full duplex
	Corded handset
	Microphone, Handset earpiece
	Hearing aid compatible (HAC)
	Audio codecs
	G.711 (A-law, u-law), G.722, G.726, G.729, GSM 6.10 (FR)
	Dual-tone multi-frequency signalling (DTMF / RFC2833)
	SIP-INFO
	in-band
	out-of-band
	Related features
	Built-in assignable ringtones
	Comfort Noise Generator (CNG)
	Voice Activity Detection (VAD)

ComX Computers

Product Specification Sheet

Interfaces and connections	Power options
	Power over Ethernet (PoE)
	IEEE 802.3af, class, IEEE 802.3az
	Power adapter
	100 - 240 AC, 50 - 60 Hz, 5 DC (SELV), 2 A, 10
	Wired interfaces
	Power adapter: coaxial power connector (socket)
	Network connectivity: 2 x RJ45-8P8C (NET/PC) sockets -> Gigabit Ethernet (GbE)
	Corded handset: RJ9-4P4C socket
	Headset: RJ9-4P4C socket
	EHS adapter: RJ12-6P6C (EHS) socket
	Sensors
	Hook switch sensor

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx-computers.co.za/SNOM-D150-snom-D150-4-line-Desktop-SIP-phone-p-304943.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-11-01 07:33:27.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.