ComX Computers
Product Specification Sheet

ST3105GC

Netis 5 Port Gigabit Ethernet Switch

Product Overview

Netis ST3105GC 5 Port Gigabit Ethernet Switch, 5x 10/100/1000M RJ45 Ports



Specifications

Overview:

5 Port Gigabit Ethernet Switch
Switch ST3105GC provides 5 10/100/1000Mbps Auto-Negotiation RJ45 ports. All ports support Auto MDI/MDIX function, eliminating the need for crossover cables or Uplink ports. This Switch provides you with a low-cost, easy-to-use, high-performance, seamless and standard upgrade to improve your old network to a 1000Mbps network. It will boost your network performance with up to 2000Mbps full duplex data transfer speed.

Features:

- 5*10/100/1000Mbps RJ45 ports, Auto-Negotiation & Auto MDI/MDIX
- IEEE 802.3x flow control for Full Duplex mode and backpressure for Half Duplex mode
- 10Gbps switching fabric capacity/backplane bandwidth
- Support 9216-byte jumbo packet length forwarding at wired speed
- Supports 2K MAC address table, MAC address auto-learning & auto-aging
- Green Ethernet technology for effective power saving
- LED indicators for simple diagnostics and management
- Plug and play,no configuration required

Specifications:

© 2022 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	ST3105GC
Hardware	

Interface	5* 10/100/1000M TX ports
LED	PWR, LAN1-LAN5
Power Supply	DC 5V/600mA (Output)
Dimensions (L x W x H)	85 x 75x 22mm
Cabling Type	10Base-T: UTP Cat.3 or up
	100Base-TX: UTP Cat.5 or up
	1000Bast-T: UTP Cat.5 or up
Software	
Standard	IEEE 802.3 10Base-T, IEEE 802.3u 100Base-TX, IEEE802.3ab 1000Bast-T
Access Method	CSMA/CD
Transmission Method	Store and Forward
Switch Architecture	Non-blocking
Data Transmission Rate	10/100Mbps(Half-duplex)
	20/200/2000Mbps(Full-duplex)
MAC Address Table	2K
Others	
Certification	FCC, CE
Environment	Operating Temperature: 0 degreesC~40 degreesC
	Storage Temperature: -40 degreesC~70 degreesC
	Operating Humidity: 10%~90%RH non-condensing
	Storage Humidity: 5%~90%RH non-condensing
Package	1* ST3105GC
	1* 5V/600mA Power Adapter
	1* Quick Installation Guide

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/ST3105GC-Netis-5-Port-Gigabit-Ethernet-Switch-p-268548.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-11 05:21:30.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.