



TAPO-T100

TP-Link Tapo T100 Smart motion sensor

Product Overview

TP-Link Tapo T100 Smart motion sensor, Captures motion up to 7m away and through 120 degree view, 868 MHz / 922 MHz Wireless, Hub required



Specifications

Overview:

Tapo T100 - Tapo Smart Motion Sensor

- Wide Range Detection - Captures motion up to 23 ft.(7m) away and through 120 degrees view.
- Motion-Activated Light - Control smart lights based on your movement and schedule.
- Energy Saving - Automatically turn on connected smart devices when you come and go.
- Instant Alerts & App Notification - Alerts you in Away Mode for anything you want to know.
- Battery-Powered - Compact battery-powered design supports over one year of use.
- Easy Installation - Mount it by attached 3M adhesive or supplied magnets.

Features:

Sensitive to Every Move

Mounted on the wall, cabinets, or door, T100 is capable of capturing the surrounding motions (120 degrees covered) with extraordinary sensitivity.

Extensive Flexibility

With its compact size, it is not only easy to install but features an adjustable body and customizable detection range (3m, 5m, 7m).

Versatile Smart Actions

Smart Actions incorporate T100 as a common precondition. Control your lighting or other smart devices by deploying a motion sensor.

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	TAPO-T100
NETWORK	
Protocol	868/922MHz
TECHNICAL SPECIFICATIONS	
Wireless	868 MHz / 922 MHz
Detection Angle	120 degrees
Detection Distance	Max 7 m / 23 ft.
GENERAL	
Operating Temperature	0~40 degreesC
Dimensions(H X W X D)	42.3 x 42.3 x 34 mm
Power Requirements	CR2450 Battery
SYSTEM	
Hub Required	Yes
ENVIRONMENT	
Operating Temperature	0~40 degreesC

ComX Computers

Product Specification Sheet

PACKAGE CONTENTS

Package Contents	Tapo T100
	Quick Start Guide
	Battery CR2450 x 1
	3M adhensive

HARDWARE FEATURES

LED Indicator	Yes
Dimensions (W x D x H)	42.3 x 42.3 x 34 mm

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx-computers.co.za/TAPO-T100-TP-Link-Tapo-T100-Smart-motion-sensor-Buy-p-310477.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-10 19:32:28.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.