

THC-B120-PC 2.8MM

Hikvision THC-B120-PC HiLook 2MP IR Fixed Mini Bullet Camera with 2.8mm Lens



Specifications

About this product

The Hikvision THC-B120-PC HiLook 2MP IR Fixed Mini Bullet Camera delivers reliable 1080p surveillance with a 2.8mm lens and 20m Smart IR. Built for outdoor monitoring, this IP66-rated camera offers wide 103degrees field of view, day/night functionality, digital WDR, and adjustable brightness and sharpness for crisp video in any lighting condition.

Overview Summary

Hikvision THC-B120-PC HiLook 2MP Mini Bullet Camera

This 2MP fixed mini bullet camera provides high-definition 1080p video with a 2.8mm lens covering a 103degrees wide angle. Equipped with 20m Smart IR, it ensures clear night vision for reliable outdoor surveillance. The camera supports 4-in-1 video signals including TVI, AHD, CVI, and CVBS, making it versatile for various security setups.

Its IP66 rating guarantees protection against dust and water, while digital WDR and IR cut filter optimize image quality in all lighting conditions. Simple adjustments for brightness and sharpness allow fine-tuning for your specific environment. Compact dimensions and low power consumption make it easy to install in a wide range of locations.

Performance tier:Professional / Commercial

Uses:Home security, Office monitoring, Outdoor surveillance, Small business security, Entryway protection

Overview

The 2 MP Fixed Mini Bullet Camera delivers high-quality 1080p resolution imaging with a fixed 2.8mm or 3.6mm lens, ensuring clear and detailed video capture. It features Smart IR technology with an effective infrared distance of up to 20 meters for enhanced night vision, and is water and dust resistant with an IP66 rating for reliable outdoor use. The camera supports 4-in-1 signal output, allowing seamless switching between TVI, AHD, CVI, and CVBS formats for versatile installation options

Description

The Hikvision THC-B120-PC HiLook 2MP Mini Bullet Camera is designed for professional outdoor surveillance, combining compact design with robust performance. It delivers 1080p full HD video with a wide 103degrees field of view. The camera's Smart IR allows clear imaging up to 20 meters in low-light or complete darkness, while digital WDR balances light and shadow for consistent clarity. Its IP66 weatherproof rating makes it suitable for all outdoor environments, and the adjustable brightness

and sharpness ensure optimal video quality in various lighting conditions. This camera is ideal for both residential and commercial security applications.

Features

Key features of the Hikvision THC-B120-PC HiLook 2MP Mini Bullet Camera include:

- 1080p Full HD resolution for clear video capture
- 2.8mm fixed lens with 103degrees wide angle view
- 20m Smart IR for reliable night vision
- Digital WDR for balanced lighting in high-contrast scenes
- Day/Night functionality with IR cut filter
- Brightness and sharpness adjustable for tailored video quality
- IP66-rated for protection against water and dust
- Supports 4-in-1 video signals: TVI, AHD, CVI, CVBS
- Low power consumption: 12VDC, max 4W

What's in the Box

- Hikvision THC-B120-PC HiLook 2MP Mini Bullet Camera
- Mounting bracket with screws
- Quick installation guide
- Power adapter (if included)
- Warranty card

Specifications

- Resolution: 2MP / 1080p
- Lens: 2.8mm fixed
- Field of view: 103degrees
- IR distance: 20 meters Smart IR
- Video output: TVI / AHD / CVI / CVBS
- Day/Night: IR cut filter
- Digital WDR: Supported
- Brightness / Sharpness: Adjustable
- IP rating: IP66
- Power: 12VDC, max 4W
- Dimensions: 66 x 189 x 82 mm
- Weight: 0.4 kg
- Operating temperature: -30C to 60C
- Mount type: Wall / Ceiling

FAQ

What is the maximum IR distance of the Hikvision THC-B120-PC camera?

This camera has a Smart IR distance of up to 20 meters, providing clear night vision in low-light conditions.

Is the camera suitable for outdoor use?

Yes, the Hikvision HiLook camera is IP66-rated, making it waterproof and dustproof for reliable outdoor surveillance.

What video signal formats does this camera support?

It supports 4-in-1 video signals: TVI, AHD, CVI, and CVBS, allowing compatibility with various security systems.

Can I adjust the image quality?

Yes, brightness and sharpness can be adjusted to optimize video quality for different lighting conditions.

What are the dimensions and weight of the camera?

The camera measures 66 x 189 x 82 mm and weighs 0.4 kg, making it compact and easy to mount.

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/THC-B120-PC-2-8MM-Hikvision-THC-B120-PC-HiLook-2MP-Buy-p-333354.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-14 14:35:20.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.