

TM-T20III-011

Epson TM T20III 011 EDG USB/Serial POS Printer

Product Overview

Epson TM T20III 011 EDG USB/Serial POS Printer incl. Power cord & Communications cable, Retail Box



Specifications

Overview:

The combination of its fast print speeds, high reliability, and economical operation, make this printer a must-have for small retail and specialty stores, hospitality venues and grocery stores.

Features:

Affordable

This easy-to-use model is our entry-level POS receipt printer and has an 80mm printing width. Its Automatic Paper Reduction feature reduces top and bottom margins, line feed width, and barcode height, allowing for flexible receipt printing. This monitors and controls the amount of paper used. Paper costs are minimized by printing the top logo of the next receipt before cutting, so the top margin is further reduced by 12mm.

Reliable

With the mean time between failures (MTBF) of 360,000 hours and a mechanism life of 15 million lines, you can rely on the TM-T20III in high-volume printing environments.

Fast

Its print speed of 250mm/sec can save you time and its competitive price and running costs can save you money; ideal for when you need to beat queues quickly.

Specifications:

© 2020 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

ComX Computers

Product Specification Sheet

Product Code	TM-T20III-011
Product Code	TM-T20III-011
Description	Epson TM-T20III-011 USB + Serial PS Black Thermal POS Printer
Buffer size	45 KB
Connectivity technology	Wired
Standard interfaces	Ethernet
Certification	FCC class A, CE marking, EN55022 Class A, UL, CSA, TÜV
Autocutter durability	1.5 million cuts
Built-in sensors details	Roll paper cover open sensor, Paper End Sensor, Paper Near End Sensor
Country of origin	Philippines
Cutter	Yes
Mean cycles between failures (MCBF)	60000000
Mean time between failures (MTBF)	360000 h
Noise level	55 dB
Print head life	150 million characters
Product colour	Black
Ethernet LAN	Yes
Wi-Fi	No
Cables included	AC
Drivers included	Yes
Quick start guide	Yes
Maximum roll diameter	83 mm
Supported paper width	48, 64, 80 mm
Character density	22.6 cpi
Character sets	ANK
Maximum resolution	203 x 203 pixels
Print speed	250 mm/sec
Print technology	Thermal
Type	POS printer
AC input voltage	24 V
Power source type	AC

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/TM-T20III-011-Epson-TM-T20III-011-EDG-USB-Serial-POS-Buy-p-243517.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-09 10:03:08.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.