TP-ARCHERC20

TP-Link Archer C20 AC750 Dual Band Wireless Route

Product Overview

TP-Link Archer C20 AC750 Dual Band Wireless Router, 433Mbps at 5GHz + 300Mbps at 2.4GHz, 802.11ac/a/b/g/n, 1x 10/100M WAN Port, 4x 10/100M LAN ports, 2x 2.4GHz Antennas, 1x 5GHz Antenna







Specifications

Overview:

AC750 Wireless Dual Band Router Archer C20

- Supports 802.11ac standard - the next generation of Wi-Fi
- Simultaneous 2.4GHz 300Mbps and 5GHz 433Mbps connections for 733Mbps of total available bandwidth
- 3 external antennas provide stable omnidirectional signal and superior wireless coverage

Features:

802.11ac - The Next Generation of Wi-Fi
TP-Link's Archer C20 comes with the next generation Wi-Fi standard - 802.11ac, backward compatible with 802.11n and 3 times faster than wireless N speeds. With higher power efficiency and robust security, 802.11ac is the perfect way to accelerate a home multimedia network and solve congestion that multiple devices may cause.

- 802.11ac
- 5GHz
- 433Mbps
- 802.11n
- 2.4GHz
- 300Mbps

733Mbps Dual Band -Connections for Lag-Free Work
With 433Mbps wireless speeds over the crystal clear 5GHz band and 300Mbps over the 2.4GHz band, Archer C20 offers you the flexibility of two dedicated networks and ensures amazing wireless performance. Simple tasks such as sending e-mails or web browsing can be handled by the 2.4GHz band while bandwidth intensive tasks like online gaming or HD video streaming can be processed by the 5GHz band - all at the same time.

- 5GHz
- 2.4GHz

Stable Omnidirectional Signal and Superior Coverage
With 3 fixed external antennas combined with higher quality antenna technology, you can experience excellent wireless performance with stable signal in every direction and high speed across greater distances. This provides you with incredible wireless coverage and reliability from anywhere in your large home or office.

Easy Setup and Use
Set up the Archer C20 in minutes thanks to its intuitive web interface and the powerful Tether app. Tether also lets you manage its network settings from any Android or iOS device, including parental controls and access control.

Specifications:

© 2018 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	TP-ARCHERC20
HARDWARE FEATURES	
Interface	4 10/100Mbps LAN ports
	1 10/100Mbps WAN port
Button	WPS/Wi-Fi Button
	Reset Button
	Power On/Off Button
Antenna	2 x 2.4GHz Antennas
	1 x 5GHz Antenna
External Power Supply	9V/0.6A(EU), 9V/0.85A(US)
Dimensions (W x D x H)	9.1 x 5.7 x 1.4 in. (230 x 144 x 35mm)
Antenna Type	Two dual band fixed antennas
WIRELESS FEATURES	
Wireless Standards	IEEE 802.11ac/n/a 5GHz
	IEEE 802.11b/g/n 2.4GHz

Frequency	2.4GHz and 5GHz
Signal Rate	5GHz: Up to 433Mbps
	2.4GHz: Up to 300Mbps
Reception Sensitivity	5GHz:
	11a 54M: -76dBm, 11ac VHT20 MCS8: -71dBm
	11ac VHT40 MCS9: -66dBm, 11ac VHT80 MCS9:
	-62dBm
	2.4GHz:
	11g 54M: -76dBm11n, HT20 MCS7: -73dBm
	11n HT40 MCS7: -71dBm
Wireless Functions	Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics
Wireless Security	64/128-bit WEP, WPA / WPA2, WPA-PSK/ WPA2-PSK encryption
Transmission Power	CE:
SOFTWARE FEATURES	
Quality of Service	WMM, Bandwidth Control
Management	Access Control
	Local Management
	Remote Management
Port Forwarding	Virtual Server, Port Triggering, UPnP, DMZ
Dynamic DNS	DynDns, Comexe, NO-IP
VPN Pass-Through	PPTP, L2TP, IPSec
Access Control	Parental Control, Local Management
	Control, Host List,
	Access Schedule, Rule Management
Firewall Security	DoS, SPI Firewall, IP Address Filter/Domain Filter, IP and MAC Address Binding
Protocols	Supports IPv4 and IPv6
USB Sharing	Support Samba(Storage)/ FTP Server/Media Server/Printer Server
Guest Network	2.4GHz guest network x 1
	5GHz guest network x 1
OTHERS	
Certification	CE, RoHS
Package Contents	AC750 Wireless Dual Band Router Archer C20
	Power Adapter
	RJ45 Ethernet Cable
	Quick Installation Guide

Box Dimensions (W X D X H)	14 x 8.8 x 2.7 in. (357x223x68mm)
System Requirements	Microsoft Windows XP/Vista/7/8/8.1/10, MAC OS, UNIX or Linux
	Internet Explorer, Firefox, Chrome, Safari or other Java-enabled browsers
	Cable or DSL or Fiber Modem/Terminal
	Subscription with an Internet Service Provider (for Internet access)
Environment	Operating Temperature: 0 degreesC~40 degreesC (32 degreesF~104 degreesF)
	Storage Temperature: -40 degreesC~70 degreesC (-40 degreesF~158 degreesF)
	Operating Humidity: 10%~90% non-condensing
	Storage Humidity: 5%~90% non-condensing

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/TP-ARCHERC20-TP-Link-Archer-C20-AC750-Dual-Band-Wireless-Route-p-175969.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-20 09:05:54.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.