

TS-DPM1

Transcend TS-DPM1 DrivePro Additional Suction Mount for dashcam

Product Overview

Transcend TS-DPM1 DrivePro Additional Suction Mount for dashcam; 45mm lockable suction cup; locking T tip; 360 degree swivel; compatible DrivePro 110, 230, 550, 250 and 620 front camera; 54.6 x 44.5mm; 26.6g



Specifications

About this product

The Transcend TS-DPM1 DrivePro Additional Suction Mount is a replacement or additional windshield mount for compatible Transcend DrivePro dashcams. It features a lockable 45mm suction cup, locking T tip and 360 degree swivel for flexible positioning. Compatible with DrivePro 110, 230, 550, 250 and 620 front camera models. Buy now from our website for a practical DrivePro mounting solution.

Overview Summary

The Transcend TS-DPM1 DrivePro Additional Suction Mount provides a secure and adjustable way to mount compatible Transcend DrivePro dashcams to a vehicle windshield. The mount uses a lockable suction pad with a 45mm diameter suction cup and a locking T tip designed for compatible DrivePro cameras.

Its 360 degree swivel design allows the dashcam to be adjusted to the required viewing angle. The compact mount measures 54.6mm x 44.5mm and weighs 26.6g, making it a lightweight accessory for replacing a damaged mount or keeping an additional mounting option available.

Performance tier: Compatible DrivePro dashcam accessory

Uses: Vehicle dashcam mounting, windshield mounting, replacement dashcam mount, additional DrivePro mount

Overview

Exclusively for Transcend's DrivePro dashcams, the suction mount features a lockable suction pad, a locking T tip and a 360degrees swivel, allowing you to easily adjust your mount to any desired angle.

Description

The Transcend TS-DPM1 DrivePro Additional Suction Mount is designed specifically for compatible Transcend DrivePro dashcams. It provides a convenient windshield mounting solution for drivers who need a replacement mount or an additional mount for their dashcam setup.

The mount features a lockable suction pad with a 45mm diameter suction cup. The locking T tip is designed to connect with compatible DrivePro dashcams, while the 360 degree swivel allows the camera to be adjusted to the desired viewing angle.

Installation is straightforward. Clean and dry the windshield area where the suction cup will be fitted, position the suction cup on the windshield and secure the locking mechanism. The compatible DrivePro dashcam can then be inserted into the suction mount.

The TS-DPM1 measures 54.6mm x 44.5mm and weighs 26.6g. It is compatible with the Transcend DrivePro 110, DrivePro 230, DrivePro 550, DrivePro 250 and DrivePro 620 front camera. It is not compatible with the DrivePro 10.

Features

The TS-DPM1 provides a practical mounting solution for compatible Transcend DrivePro dashcams, with adjustable positioning and a compact design.

- Lockable suction pad: Provides a dedicated windshield mounting solution for compatible DrivePro dashcams.
- 45mm suction cup: Uses a 45mm diameter suction cup for windshield attachment.
- Locking T tip: Designed for connection with compatible Transcend DrivePro dashcams.
- 360 degree swivel: Allows the mounted dashcam to be adjusted to the required viewing angle.
- Compact design: Measures 54.6mm x 44.5mm for a small and lightweight mounting solution.
- Lightweight construction: Weighs only 26.6g.

ComX Computers

Product Specification Sheet

- Compatible models: Supports DrivePro 110, DrivePro 230, DrivePro 550, DrivePro 250 and DrivePro 620 front camera.
- Replacement or additional mount: Suitable for replacing an existing compatible DrivePro suction mount or keeping an additional mount available.

What's in the Box

- Transcend TS-DPM1 Suction Mount
- Quick Start Guide

Specifications

Appearance	
Dimensions	54.6 mm x 44.5 mm (2.15" x 1.75")
Weight	26.6 g (0.94 oz)
Suction Cup	45mm diameter
Operating Environment	
Note	This product not work with the DrivePro 10.
Supported Device	DrivePro 110/
	DrivePro 230/
	DrivePro 550/
	DrivePro 250/
	DrivePro 620 (front camera)

FAQ

What is the Transcend TS-DPM1 used for?

The Transcend TS-DPM1 is a suction mount designed to attach compatible Transcend DrivePro dashcams to a vehicle windshield.

Which Transcend DrivePro cameras are compatible with the TS-DPM1?

The TS-DPM1 is compatible with the DrivePro 110, DrivePro 230, DrivePro 550, DrivePro 250 and DrivePro 620 front camera.

Is the TS-DPM1 compatible with the DrivePro 10?

No. Transcend specifically states that the TS-DPM1 is not compatible with the DrivePro 10.

What type of suction cup does the TS-DPM1 use?

The TS-DPM1 uses a lockable 45mm diameter suction cup designed for windshield mounting.

Can the dashcam angle be adjusted with the TS-DPM1?

Yes. The mount features a 360 degree swivel that allows the compatible DrivePro dashcam to be adjusted to the desired viewing angle.

How much does the Transcend TS-DPM1 weigh?

The TS-DPM1 weighs 26.6g, making it a lightweight accessory for a compatible DrivePro dashcam.

What are the dimensions of the TS-DPM1?

The mount measures 54.6mm x 44.5mm, equivalent to 5.46cm x 4.45cm.

Is the TS-DPM1 suitable as a replacement mount?

Yes. The TS-DPM1 can be used as an additional or replacement suction mount for compatible Transcend DrivePro dashcams.

What is included with the TS-DPM1?

The package includes the Transcend TS-DPM1 suction mount and a Quick Start Guide.

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/TS-DPM1-Transcend-TS-DPM1-DrivePro-Additional-Suction-Buy-p-174437.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-11 09:14:01.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.