

U280-010-ST-CEE

Eaton 10-Port USB Charging Station with Adjustable Storage

Product Overview

Eaton U280-010-ST-CEE 10-Port USB Charging Station with Adjustable Storage, 12V 8A (96W) USB Charger Output, Schuko Power Cord



Specifications

Overview:

Whether you're at home or in the office, the U280-010-ST-CEE 10-Port USB Charging Station provides plenty of ports and power to keep all your devices at 100% capacity. No more peering behind furniture to find an available outlet or unplugging one device to charge another. You can charge up to ten tablets, smartphones, laptops and other devices at the same time. This docking station for multiple devices doesn't require a computer, so you can take it anywhere AC power is available.

To charge your USB devices, simply plug the included external dual-voltage (100V-240V) power supply into a Schuko outlet, and connect your devices to the available USB ports. The charger protects against overheating, overcurrent and overcharging-in fact, it stops charging as soon as your devices' batteries are at full capacity. A front LED indicates the unit is turned on and receiving AC power.

The 10-port USB charger supports USB Battery Charging (BC) specification v1.2 and delivers up to 5V 2.4A to each port, which is plenty for charging even battery-intensive devices. Adjustable brackets on top of the charger act as storage, providing space to neatly organize devices while they charge. You can adjust the brackets to accommodate the number and size of the devices being charged.

Features:

- Up to 5V 2.4A per port for charging battery-intensive devices
- All ten ports support USB Battery Charging (BC) specification v1.2
- External dual-voltage power supply with Schuko plug
- Protects against overheating, overcurrent and overcharging
- Includes 14 adjustable storage brackets for organizing devices
- Charges anywhere AC power is available-no computer required (for 120V applications please use P013-Series cables, not included)

Charges Up to 10 Devices at the Same Time

ComX Computers

Product Specification Sheet

- Ideal for charging tablets, smartphones, laptops and other devices at home or work
- Connect devices to unit's USB ports for proficient charging
- Charges anywhere AC power is available-no computer required

Provides Plenty of Juice for Charging

- Delivers up to 5V 2.4A per port to charge battery-intensive devices
- Complies with USB Battery Charging (BC) specification v1.2
- Protects against overheating, overcurrent and overcharging

Also Functions as Efficient Storage

- Includes 14 adjustable brackets that neatly organize devices while they charge
- Brackets are adjustable to accommodate number and size of devices being charged

Easy to Use

- Included external dual-voltage (100-240V) power supply plugs into a Schuko outlet
- Front LED indicates when unit is turned on and receiving AC power

Specifications:

OVERVIEW	
UPC Code	37332205698
Product Type	Charging Station
Charging Form Factor	Charging Hub
Device Compatibility	Phone; Tablet; Amazon Kindle
INPUT	
AC Power Adapter Plug(s)	CEE 7/7 Schuko
AC Power Adapter Input Specs (V / Hz / A)	100-240V / 50/60Hz / 3A
AC Power Adapter Output Specs (V / A)	12V / 8A
AC Power Adapter Cord Length (m)	1
Nominal Input Voltage(s) Supported	120V AC; 230V AC
Input Connection Type	USB-A Female
Plug Type	C5 to CEE 7/7 Schuko
Voltage Compatibility (VAC)	100; 110; 120; 125; 127; 200; 208; 220; 230; 240
Input Plug Type	CEE 7/7 Schuko
OUTPUT	
Overload Protection	Yes
POWER	
Power Source Type	AC Adapter
AC Adapter	Input: 100-240V, 50/60Hz, 3.0A; Output: 12V, 8A, 3-ft.
DC Barrel Plug	OD: 5.5 x 2.5 x 10mm, Positive Pin, Negative Sleeve
Power Consumption (Watts)	34
Power Consumption Detail	34W (Operating) 0.27W (Standby)

ComX Computers

Product Specification Sheet

USER INTERFACE, ALERTS & CONTROLS	
LED Indicators	Power (Blue)
CHARGING	
Number of Charging Ports	10
Total Charging Amps	8A
Total Charging Watts	96
Charging Method	USB
Charging Method Detail	5V - 1.5A (7W)
Charging Port Type	(10) USB A (FEMALE)
Charging Ports Details	USB-A: 12V/8A
Charging Ports / Amps	(10) 2.4A
PHYSICAL	
Color	Black
Material of Construction	Polycarbonate
Unit Dimensions (hwd / cm)	2,5 x 23,8 x 11,8
Unit Packaging Type	Box
Unit Weight (kg)	0.3
ENVIRONMENTAL	
Operating Temperature Range	41 degrees to 95 degreesF (5 degrees to 35 degreesC)
Storage Temperature Range	-4 degrees to 122 degreesF (-20 degrees to 50 degreesC)
Relative Humidity	20% to 80% RH, Non-Condensing
CONNECTIONS	
Number of Ports	10
Side A - Connector 1	CEE 7/7 SCHUKO PLUG
Side B - Connector 1	(10) USB A (MALE)
FEATURES & SPECIFICATIONS	
Overcurrent Protection	Yes
Overvoltage Protection	Yes
Quick Charge Compliant	No
Driver Required	No
STANDARDS & COMPLIANCE	
External Power Supply Certifications	CE; FCC; UL; TUV; CCC; PSE; GS; RoHS
Product Compliance	RoHS; CE (Europe); REACH; FCC (USA)

ComX Computers

Product Specification Sheet

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx-computers.co.za/U280-010-ST-CEE-Eaton-10-Port-USB-Charging-Station-Buy-p-291230.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-14 04:18:40.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.