




UB-UA-G3-PRO-B

Ubiquiti UniFi Access Reader G3 - Black

Product Overview

Ubiquiti UniFi Access Reader G3 - Black, UA-G3-Pro-B, Integrated camera, NFC card & Keyfob Access, pin Access, Two-Way Intercom & Doorbell Access, IP55 weatherproofing, Aluminum Alloy Mount material, Indoor and Outdoor use, 1x GbE RJ45 Port Networking Interface, BLE, NFC, Proximity Sensor, 120 mm 1280x286 capacitive Touch diagonal Display, Microphone, Speaker, 13.56 MHz NFC Frequency





Specifications

Overview:

G3 Reader Pro

UA-G3-Pro-B

Third-generation, indoor/outdoor NFC reader and intercom with Touch Pass support.

Specifications:

© 2025 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	UB-UA-G3-PRO-B
Overview	
Dimensions	160 x 40.4 x 40.55 mm (6.3 x 1.59 x 1.6")
Integrated Camera	Yes
NFC Card & Keyfob Access	Yes
PIN Access	Yes
Apple/Google Wallet	Yes
Mobile Unlock	Yes
Two-Way Intercom & Doorbell Access	Yes
NDAA Compliant	Yes
UL 294 Level	Destructive attack: Level I Line security: Level I Endurance: Level I Standby power: Level I
Weatherproofing	IP55

ComX Computers

Product Specification Sheet

Mechanical	
Weight	136 g (4.8 oz)
Enclosure Material	Polycarbonate, glass
Mount Material	Aluminum alloy
Mounting	Wall, gang-box mount (Included)
	Angle mount, junction box (Optional)
Hardware	
Indoor and Outdoor Use	Yes
Ambient Operating Temperature	Device: -30 to 45 degrees C (-22 to 113 degrees F)
	Display: -10 to 45 degrees C (14 to 113 degrees F)
Ambient Operating Humidity	5 to 90% noncondensing
Networking Interface	(1) GbE RJ45 port
Connectivity	BLE 4.2
	NFC
Power Method	PoE
	UL 294 Power-limited Class 2 PSU
	UL 60950-1/62368-1 LPS/PS2 PSU
Max. Power Consumption	6W
Supported Voltage Range	48V DC
ESD/EMP Protection	Air: +/-15kV, contact: +/-8kV
Sensors	Proximity sensor
Display	120 mm (4.7") diagonal
Touch Screen Technology	Capacitive touch
Display Luminance	480 nits (Typical)
Screen Orientation	Portrait
Resolution	1280 x 286 px
Microphone	Yes
Speaker	Yes
LEDs	R/G/B/W/Amber Learn More
Button	(1) Factory-reset
NFC Frequency	13.56 MHz
NFC Read Range	< 30 mm (1.18")
NFC Technology	ISO/IEC 14443A / 14443B / 15693 / 18092 (Ecma 340)
	MIFARE Classic / MIFARE DESFIRE
	Sony FeliCa (ID only)
	NFC Forum tags T1T, T2T, T3T, T4T and T5T
	ECP 2.0

ComX Computers

Product Specification Sheet

PoE Cabling Requirements	Cat 5e cabling is the minimum performance category recommended. The performance category utilized should match the transmission speed required at the installation site.
	The minimal conductor gauge permitted to connect between the PSE or power injector and the PD shall be 26 AWG (0.13 mm ²) for patch cords, 24 AWG (0.21 mm ²) for horizontal or riser cable.
UL 294 Statement	Compliance with IEEE 802.3 specifications was not verified as part of UL 294.
	The equipment is intended to comply with the section of the National Electrical Code, ANSI/NFPA 70, Article 725.121, Power Sources for Class 2 and Class 3 Circuits.
CAN/ULC-60839-11-1 Grade	Grade assignment: I
Certifications	CE, FCC, IC, UL 294, CAN/ULC-60839-11-1
Document number, and issue date and/or revision level	UA-G3-Pro-W/UA-G3-Pro-B, V01
Software	
Management Application	Access

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/UB-UA-G3-PRO-B-Ubiquiti-UniFi-Access-Reader-G3-Black-Buy-p-322876.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-19 22:41:55.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.