

UB-UVC-G5-BULLET

Ubiquiti UniFi Protect G5 Bullet 5MP IP camera

Product Overview

Ubiquiti UniFi Protect G5 Bullet 5MP IP camera, UVC-G5-bullet, 5MP CMOS sensor, Built-In IR LED illumination, H.264 / MJPEG Video Compression, 2688 x 1512 (16:9) Resolution, 30 fps Maximum Frame rate, 1x 10/100 Ethernet RJ45 Port, PoE Power, Microphone



Specifications

Overview:

Camera G5 Bullet

SKU: UVC-G5-Bullet

- Next-gen indoor/outdoor 2K HD PoE Camera.
- 2K HD, 30 FPS camera with a 5MP CMOS sensor
- View angle (84.4 degrees)
- Weatherproof IPX4-rated enclosure
- Flexible, three-axes adjustment
- Improved low-light performance and IR night vision up to 10m

Specifications:

© 2023 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	UB-UVC-G5-BULLET
Mechanical	
Dimensions	Without mount: Ø75.5 x 74.4 mm (Ø2.97 x 2.93")
	With wall mount: Ø75.5 x 150 mm (Ø2.97 x 5.9")

ComX Computers

Product Specification Sheet

Weight	Without mount: 225 g (7.94 oz)
	With wall mount: 315 g (11.11 oz)
Enclosure materials	Polycarbonate, aluminum alloy
Mount materials	Wall mount: aluminum alloy, polycarbonate
	Pole mount: aluminum alloy
Weatherproofing	IPX4
Resistance	IK04
Optics	
Sensor	5MP CMOS sensor
Lens	Fixed focal length
View angle	H: 84.4 degrees, V: 45.4 degrees, D: 99.8 degrees
Night mode	Built-in IR LED illumination and IR cut filter
Video	
Video compression	H.264, MJPEG
Resolution	2688 x 1512 (16:9)
Max. frame rate	30 FPS
Image settings	Color, brightness, sharpness, contrast, white balance, exposure control, 2DNR, 3DNR, NR by motion, masking, text overlay
System	
Processor	Dual-core Arm Cortex -A7 based chip
Networking interface	10/100 MbE RJ45 port
Max. power consumption	4W
Power method	PoE
Supported voltage range	37-57V DC
Button	Factory reset
Mounting	Wall, pole mount
Operating temperature	-20 to 40° C (-4 to 104° F)
Operating humidity	0 to 90% noncondensing
Certifications	FCC, IC, CE
Audio	
Microphone	Yes (Can be disabled)
Software	
UniFi OS application	UniFi Protect
Mobile app	UniFi Protect iOS and Android

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/UB-UVC-G5-BULLET-Ubiquiti-UniFi-Protect-G5-Bullet-5MP-Buy-p-284692.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-25 18:48:20.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.