


UB-UVC-G5-PRO

Ubiquiti UniFi Protect G5 Pro Indoor/Outdoor 4K PoE camera with 3x Optical Zoom Lens

Product Overview

Ubiquiti UniFi Protect G5 Pro Indoor/Outdoor 4K PoE camera with 3x Optical Zoom Lens, H.264 Video Compression, Built-In IR LED illumination, 8MP 3840x2160 (16:9) Resolution, 30 fps Maximum Frame rate, 2DNR, 3DNR, 10/100 mbe RJ45 Port, PoE Power Method, Microphone, UVC-G5-PRO



Specifications

Overview:

G5 Professional UVC-G5-Pro

Indoor/outdoor 4K PoE Camera with exceptional image performance and 3x optical zoom lens.

- 4K (8MP) video resolution
- 3x optical zoom
- 25 m (82 ft) IR night vision
- AI event detections
- Built-in IR LEDs and an automatic IR cut filter
- Record audio with an integrated microphone
- Connect and power using PoE
- Optional Enhancer for integrated floodlight and extended IR*

ComX Computers

Product Specification Sheet

- Weatherproof (outdoor exposed)

Specifications:

© 2023 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	UB-UVC-G5-PRO
Mechanical	
Dimensions	Ø86 x 154.3 mm (Ø3.4 x 6.1")
Weight	650 g (1.4 lb)
Enclosure materials	UV stabilized polycarbonate, aluminum alloy
Mount material	Aluminum alloy
Weatherproofing	IP65
Resistance	IK04
Optics	
Sensor	1/2" 8MP sensor
Lens	F 4.1 - 12.3 mm, f/1.53 - f/3.3
View angle	Wide: H 109.9 degrees, V 60 degrees, D 127.7 degrees
	Zoom: H 35 degrees, V 19.8 degrees, D 40 degrees
Night mode	Built-in IR LED illumination and IR cut filter
Video	
Video compression	H.264
Resolution	8MP 3840 x 2160 (16:9)
Max. frame rate	30 FPS
Image settings	Color, brightness, sharpness, contrast, white balance, exposure control, 2DNR, 3DNR, NR by motion, masking, text overlay
System	
Processor	Dual-core Arm Cortex -A53 based chip
Networking interface	10/100 MbE RJ45 port
Max. power consumption	Device: 10W
	Device with the Enhancer: 12.95W
Power method	PoE
Supported voltage range	37-57V DC
Button	Factory reset
Mounting	Wall, pole mount
Operating temperature	-20 to 50° C (-4 to 122° F)
Operating humidity	0 to 90% noncondensing

ComX Computers

Product Specification Sheet

Certifications	FCC, IC, CE
Audio	
Microphone	Yes (Can be disabled)
Software	
Web application	UniFi Protect
Mobile app	UniFi Protect iOS and Android

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx-computers.co.za/UB-UVC-G5-PRO-Ubiquiti-UniFi-Protect-G5-Pro-Indoor-Buy-p-285166.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-11 07:28:32.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.