UM.IV6EE.B03

Acer V206HQL 19.5" Anti-Glare HD LED Backlit Monitor

Product Overview

Acer V206HQL 19.5" Anti-Glare High Definition LED Backlit Monitor - Twisted Nematic Film (TN Film) Panel, 16:9 Aspect Ratio, 1366 x 768 Resolution, Brightness - 200cd/m2, Dynamic Contrast Ratio - 1,000,000:1, 5ms Response Time, 60 Hz Standard Refresh Rate, VGA D-Sub Ports, Retail Box



Specifications

Overview:

The Acer V206HQL non-glare 19.5 inch Widescreen with White LED Technology and professional tilt design ensures a better performance with the best viewing angle to deliver vibrant visuals and comfortable viewing ideal for home and business users. It features a 1600 x 900 resolution providing a crisp, clear picture quality. You also benefit from an enhanced 5 ms response time ensuring your movies and videos play with reduced lag and blur. Videos, pictures, movies, and more are displayed with enhanced clarity through the 100,000,000:1 contrast ratio making for darker dark and brighter light colours. Easily mount this VESA compliant monitor to the wall or keep it on its stand for viewing from a wide variety of angles as this monitor supports 90 degrees Horizontal Viewing Angle and 65 degrees Vertical Viewing Angle. Setup and configuration of this monitor has also been simplified as you can utilize either the DVI or VGA inputs to connect to a variety of PCs.

Features:

- 19.5inch Widescreen Anti-Glare High Definition LED Backlit Monitor
- Twisted Nematic Film (TN Film) Panel
- 1366 x 768 Resolution
- Dynamic Contrast Ratio: 100,000,000:1
- 5ms Response Time
- 16:9 Aspect Ratio
- Brightness - 200cd/m2
- Dynamic Contrast Ratio - 1,000,000:1
- 60 Hz Standard Refresh Rate
- VGA D-Sub Input Port
- VESA Wall Mount Supported
- Detachable Foot Stand

Specifications:

© 2019 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	UM.IV6EE.B03
Stock Code	UM.IV6EE.B03
Description	Acer V206HQL - LED monitor - 19.5 inch Wide LED-backlit LCD monitor
Panel Type	Twisted Nematic Film (TN Film) Panel
Aspect Ratio Widescreen	16:9
Native Resolution	1366 x 768 at 60 Hz
Brightness	200 cd/m²
Contrast Ratio	100000000:1 (dynamic)
Response Time	5 ms (On/Off)
Horizontal Viewing Angle	90 degrees
Vertical Viewing	Angle 65 degrees
Colour Support	16.7 million colours
Input Connectors	VGA D-Sub
Display Position Adjustments	Tilt
Tilt Angle	-5 degreesto25 degrees
Screen Coating	Anti-glare
VESA Mount Compatible	Standard 100 x 100
Colour	Black
Dimensions (WxDxH) - with stand	46.34 cm x 19.1 cm x 36.22 cm
Weight	2.9 Kg

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/UM-IV6EE-B03-Acer-V206HQL-19-5-Anti-Glare-HD-LED-Backlit-Monitor-p-218569.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-11 00:52:30.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other

information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.