ComX Computers
Product Specification Sheet

USB-C-NVME-S1241B01

Unitek USB-C to M.2 PCI-e NVMe SSD enclosure

Product Overview

Unitek USB-C to M.2 PCI-e NVMe SSD enclosure, S1241B01, 2230 / 2242 / 2260 / 2280mm supports SSD sizes, 10Gbps transfer Speed, 30cm cable length, Aluminium Alloy material, SSDs up to 8TB











Specifications

Overview:

M.2 PCIe NVME SSD Enclosure

SKU: S1241B01

UNITEK M.2 PCIe NVMe SSD enclosure is specially designed to support NMVE protocol with both M or B&M keys and for 2230/ 2242/ 2260/2280 size SSDs up to 8TB.* Supports 10Gbps Transmission, M/B&M Key, SSD up to 8TB.

Features:

- 10Gbps Transmission Speed: This PCIe NVMe M.2 SSD enclosure equips with USB-C 10Gbps output interface and is backward compatible with USB-C 5Gbps port (USB 3.1 Gen1 and USB 3.0).
- Wide Compatibility: This PCIe NVMe M.2 SSD enclosure only supports M.2 NVMe M-Key SSD with the size 2230/2242/2260/2280 solid state drivers.*
- Effective Heat Dissipation: UNITEK PCIe NVMe M.2 SSD enclosure is made of aluminum housing to effectively dissipate the heat and protect your SSD, keeping it at its peak performance.
- Optimize SSD for Best Performance: This PCIe NVMe M.2 SSD enclosure supports UASP and TRIM. UASP enables faster data transfer to and from storage devices. TRIM can improve write performance, optimize the capacity of SSD and enabling it to last longer.
- Tool-Free Installation: This PCIe NVMe M.2 SSD enclosure allows quick and easy installation of PCIe NVMe M.2 SSDs, with no tools or driver is required.
- Supported Systems: Compatible with Windows 7/8/10/11 and Mac OS, Linux, Android, iOS

*This product does not support SATA NGFF SSD, mSATA SD, M.2 SATA and any SSDs with heat sink

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	USB-C-NVME-S1241B01
Dimensions	113.0mm x 38.0mm x 11.0mm
Compatibility	PCIe NVMe SSDs
Supports SSD Sizes	2230/ 2242/ 2260/ 2280mm
Transfer Speed	10Gbps
Cable Length	30cm
Material/ Colour	Aluminium Alloy/ Space Grey
Package Contents	1 x PCIe NVMe M.2 SSD Enclosure
	1 x USB C to USB C Cable
	1 x User Manual.

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx.co.za/USB-C-NVME-S1241B01-Unitek-USB-C-to-M-2-PCI-e-NVMe-SSD-enclosure-p-316235.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx.co.za/terms-of-use.php
Terms of Sale: https://www.comx.co.za/terms-of-sale.php

PDF generated: 2026-11-22 10:26:03.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.