


USW-PRO-MAX48P

Ubiquiti UniFi 48 Port with 32x PoE & 16x 2.5Gbps & 4x 10G SFP+ PoE++ 720W Pro Max Switch

Product Overview

Ubiquiti UniFi 48 Port with 32x PoE & 16x 2.5Gbps & 4x 10G SFP+ PoE++ 720W Pro Max Switch, USW-PRO-MAX-48-poe, 32x GbE RJ45 Ports, 16x 1/2.5 GbE RJ45 Ports, 4x 10G SFP+ Ports, 32x PoE/PoE+, 16x 60W PoE++, 224 Gbps switching capacity, 720W total available PoE, 1.3" Touchscreen LCM Display



Specifications

Overview:

Pro Max 48 PoE

USW-Pro-Max-48-PoE (720W)

- A 48-port, Layer 3 Etherlighting switch with 2.5 GbE and PoE++ output.
- Etherlighting ports that illuminate to indicate port location, speed/link, and native VLAN/network*
- (16) 2.5 GbE ports including (8) PoE+ and (8) PoE++
- (32) GbE ports including (24) PoE+ and (8) PoE++
- (4) 10G SFP+ ports
- DC power backup ready
- 720W total PoE availability
- Managed with UniFi Network 8.0.24 and later

Specifications:

Mechanical	
Dimensions	442.4 x 400 x 44 mm (17.4 x 15.7 x 1.7")
Weight	Without mounting brackets: 6.2 kg (13.7 lb)
	With mounting brackets: 6.3 kg (13.9 lb)
Enclosure material	SGCC steel
Hardware	
Management interface	Ethernet In-Band
Networking interface	(32) GbE RJ45 ports
	(16) 1/2.5 GbE RJ45 ports
	(4) 10G SFP+ ports
PoE interface	(32) PoE/PoE+ (Pins 1, 2+, 3, 6-)
	(16) 60W PoE++ (Pair A 1, 2+, 3, 6-) (Pair B 4, 5+, 7, 8-)
Total non-blocking throughput	112 Gbps
Switching capacity	224 Gbps
Power method	(1) Universal input, 100-240V AC, 50/60 Hz
	(1) USP-RPS DC input
Power supply	AC/DC, internal, 820W
Supported voltage range	100-240V AC
Max. power consumption	100W (Excluding PoE output)
Total available PoE	720W
Max. PoE wattage per port by PSE	PoE: 15.4W
	PoE+: 30W
	PoE++: 60W
Voltage range PoE mode	PoE: 44-57V
	PoE+: 50-57V

ComX Computers

Product Specification Sheet

LCM display	(1) 1.3" touchscreen
Button	Factory reset
Operating temperature	-5 to 40 degrees C (23 to 104 degrees F)
Operating humidity	10 to 90% noncondensing
Certifications	CE, FCC, IC
Etherlighting	
Ethernet	Locating
	Speed/link
	Native VLAN/network
SFP+	Locating
	Speed/link
	Native VLAN/network
LEDs	
System	Status
RPS	Status
Application Requirements	
UniFi Network	Version 8.0.24 and later

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/USW-PRO-MAX48P-Ubiquiti-UniFi-48-Port-with-32x-PoE-Buy-p-318746.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-12 04:20:58.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.