

WA813FPK

KGuard WA813FPK Outdoor Bullet Type Camera Kit

Product Overview

KGuard WA813FPK Outdoor Bullet Type Camera Kit - 1x High Quality CMOS Image Sensor 1080p AHD 2MP IR Weather-proof Camera, 3.6mm Lens, 30m IR Distance, 80 Degree View Angle, Retail Box



Specifications

Overview:

The KGuard WA813FPK Outdoor Bullet Type Camera Kit that consist of 1 x High Quality CMOS Image Sensor 1080p AHD 2MP IR Weather-proof Cameras with 2 Megapixel CMOS and 3.6mm Fixed Lens with 80 degrees viewing angle as well as Long range Night vision up to 30 meters , it is ideal for day & night surveillance. The 1080p high resolution makes the video clearer and helps you monitor particular areas, such as yards or warehouses. The weather-proof metal casing can be used in both indoor & outdoor applications. Included with this kit is 1 x Outdoor Bullet Type Camera 1x 18M/60ft BNC/Power extension cables , 1x 12V DC power adapter packaged in oem white box.

Features:

- 1080P High Resolution
- 3.6mm Fixed Lens with 80 degrees viewing angle to monitor particular areas
- Long range night vision up to 30 meters (98ft) for day & night surveillance
- The weather-proof metal casing can be used in both indoor & outdoor applications

Specifications:

© 2016 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	WA813FPK
--------------	----------

Details

Stock Code	WA813FPK
------------	----------

Description	KGuard WA813FPK Single Outdoor Bullet Type Camera Kit
-------------	---

ComX Computers

Product Specification Sheet

Type	1 x High Quality CMOS Image Sensor 1080p AHD 2MP IR Weather-proof Cameras
Video Image Sensor	1/3" 2-Megapixel High Quality CMOS Image Sensor
Pixels	1920x1080
Electronics Shutter	NTSC 1/60-1/100, 000(sec)
PAL	1/50-1/100, 000(sec)
Resolution	2.0 Megapixel
Lens	3.6mm Fixed
Viewing Angle	75 Degrees
Video Output	1.0VP-P, 75ohm
S/N Ratio	More than 48dB(AGC OFF)
Day / Night Mode	Color during day / switches to B&W at night
Minimum Illumination	While Infrared LED on "0" lux
Gain Control	Auto
Backlight Compensation	Auto
Night Vision Distance	30m / 98ft
Illumination	Infrared LED
Infra-Red Wavelength	850nm
Infra-Red LED Life	10, 000hrs
General	
Indoor / Outdoor	Weather-proof (Both)
Operating Temperature	-10~50 degreesC / 14~122 degreesF
Storage Temperature	-20~70 degreesC / -4~158 degreesF
Body Construction	Aluminium
Dimensions - Camera with Stand (WxDxH)	63.8x58x177.8mm
Weight	Camera with Stand 283g

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/WA813FPK-KGuard-WA813FPK-Outdoor-Bullet-Type-Camera-Buy-p-153099.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-19 19:59:52.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

ComX Computers

Product Specification Sheet

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.