


WAVEPOS-80

POSLAB WAVEPOS-80 15" LED ATOM D525 Duo Core 1.8Ghz 320G POS Workstation

Product Overview

POSLAB WAVEPOS-80 Intel ATOM D525 Duo Core 1.8Ghz CPU onboard; 2.5" SATA SLIM 320G HDD; RAM 2Gb; 15" 5Wire touch screen LED back light, 1GB LAN, 7xUSB ports, LPT port, 6xDB9 com ports



Specifications

Features:

- Intel Atom DualCore processor
- 15" 5wire resistive touch screen technology
- Aluminum and Modular Design enhanced the life cycle of on-site usage.
- 15" Dual Screens capability

Specifications:

© 2015 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	WAVEPOS-80
System	
CPU Support	Intel ATOM Dual Core D525 1.8Ghz CPU
Memory	Support up to 4GB DDR3 / 8G DDR3
Core Logic	Intel NM10 / HM76/ BayTrail
Net Work	10/100/1000 Base-T Fast Ethernet
Power Supply	12V Power Adaptor
System weight	10 kgs
Dimension (WxHxD) mm	365 x 235 x 400mm

ComX Computers

Product Specification Sheet

O/S	Windows XP/XPE, WEPOS, POSReady 2009,
	Win 7, 8 (Ivy Bridge and Baytrail platform only)
Storage	
HDD	1 x 2.5 SATA HDD
SSD	SSD interface Max.512GB
I/O Ports	
USB	7 ports, 3 internal (one reserved for touch screen) and 4 external.
Serial Ports	6 x COM (w/ +5V, +12V selectable), 2 internal and 4 external.
PS/2	1 x PS/2 keyboard port
LAN	1 x 10/100/1000 Mbps (RJ45)
VGA	1 x DB-15 VGA Interface
Parallel Port	1xDB25
Audio	AC'97 Codec Audio
Cash Drawer	1xRJ11
DC-IN	12V DC-IN
Power Switch	1 x Power Switch
Display	
LCD	15 TFT LCD Panel
Max. Resolutiion	1024 x 768
Brightness	250 nits
Touch Screen	5 wires resistive touch panel
Peripheral Options	
Printer	TP-260
Customer Display	VFD Type: 20 columns x 2 lines, each column 5x7 dots, LCD Type: 8 or 10 LCD
MSR	Track 1,2,3 USB HID Interface
i-button	Read only, USB Interface
Color	Grey / Red / Orange + Black
RFID	Frerquency 13.56MHz or 125Kh

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/WAVEPOS-80-POSLAB-WAVEPOS-80-15-LED-ATOM-D525-Duo-Core-1-8Ghz-320G-POS-Workstation-p-134660.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

ComX Computers

Product Specification Sheet

PDF generated: 2026-10-30 08:43:33.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.